

Class 1

# Acura Shower System

Product Disclosure Information Self-Assessment

Version: v01

<b>Product name</b>	Acura Shower System
<b>Product line</b>	
<b>Product identifier</b>	Atlantis-Acura

## Product description

The Acura™ Shower is a one-piece shower base and screens system. Suitable for domestic and commercial use, the Acura System includes a low profile fibreglass reinforced acrylic tray with 100mm tall wall upstands, factory-fitted glazing channels, EasyClean waste, Stainless Steel drain cover, and selected screens and hardware. Flow Rate: 50L/min min.

Manufactured by Atlantis – New Zealand’s leading shower manufacturer.

Exceeds NZ Building Code (AS/NZS2208-96)

## Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

## Contributions to compliance

B2.3.1: The Acura Shower Tray is warranted for 15 years when installed as per the installation instructions.

F2.3.1: All glass supplied is toughened safety glass. The product is safe to handle.

G1.3.2: Easy-to-clean and does not harbour germs.

## Scope of use

Acura Showers are suitable for use in domestic and commercial bathroom. Designed for tiling or leaving

prefinished (gloss white).

## Conditions of use

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied. Must be installed in accordance with installation instructions supplied.

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Acura Base Fitting Instructions (Installation)		<a href="https://www.acurashowers.co.nz/s/Base-Fitting-Acura-BFK_AC_EC-221221.pdf">https://www.acurashowers.co.nz/s/Base-Fitting-Acura-BFK_AC_EC-221221.pdf</a>
Acura Hinged Screen Fitting Instructions (Installation)		<a href="https://www.acurashowers.co.nz/s/Acura-Hinged-Instructions.pdf">https://www.acurashowers.co.nz/s/Acura-Hinged-Instructions.pdf</a>
Acura Sliding 2 Wall Screen Fitting Instructions (Installation)		<a href="https://www.acurashowers.co.nz/s/Acura-Sliding-2-Wall-Instructions.pdf">https://www.acurashowers.co.nz/s/Acura-Sliding-2-Wall-Instructions.pdf</a>
Acura Sliding 3 Wall Screen Fitting Instructions (Installation)		<a href="https://www.acurashowers.co.nz/s/Acura-Sliding-3-Wall-Instructions.pdf">https://www.acurashowers.co.nz/s/Acura-Sliding-3-Wall-Instructions.pdf</a>
Acura Liner Fitting Instructions (Installation)		<a href="https://www.acurashowers.co.nz/s/Acura-Liner-Fitting.pdf">https://www.acurashowers.co.nz/s/Acura-Liner-Fitting.pdf</a>
Acura 2 Wall Technical Specifications (Design)		<a href="https://www.acurashowers.co.nz/s/Acura-2-Wall-Shower-Specifications.zip">https://www.acurashowers.co.nz/s/Acura-2-Wall-Shower-Specifications.zip</a>
Acura 3 Wall Technical Specifications (Design)		<a href="https://www.acurashowers.co.nz/s/Acura-3-Wall-Shower-Specifications.zip">https://www.acurashowers.co.nz/s/Acura-3-Wall-Shower-Specifications.zip</a>

## Contact details

<b>Manufacture location</b>	New Zealand
<b>Legal and trading name of manufacturer</b>	Atlantis Bathroom Style
<b>Manufacturer address for service</b>	26 Porutu Place Tauranga 3110
<b>Manufacturer website</b>	<a href="http://atlantis.co.nz">atlantis.co.nz</a>
<b>Manufacturer email</b>	<a href="mailto:support@atlantis.co.nz">support@atlantis.co.nz</a>
<b>Manufacturer phone number</b>	0800428526
<b>Manufacturer NZBN</b>	9429037342050

First party self-assessment generated Aug 25, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=954d253223182d9adacd03c8785f9a1d95034188>

Get BPIR Ready | [bpir.nz](http://bpir.nz)

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

---

## Appendix

### BPIR Ready selections

Category: Sanitary fixtures and appliances

	Yes	No
Suitable for Accessible facilities		x
Provision of hot water		x

### Building code performance clauses

All relevant building code performance clauses listed in this document:

#### B2 Durability

##### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if:
- the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
  - failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

#### F2 Hazardous building materials

##### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

#### G1 Personal Hygiene

##### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- facilitate *sanitation*,
- avoid risk of food contamination,
- avoid harbouring dirt or germs,
- provide appropriate privacy,

- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.