

Class 1

# Accessible Shower System

Product Disclosure Information Self-Assessment

Version: v01

<b>Product name</b>	Accessible Shower System
<b>Product line</b>	
<b>Product identifier</b>	Atlantis ACC

## Product description

The Atlantis Accessible Shower is a level entry tray and screen system. The Accessible Shower features a fibreglass-reinforced acrylic tray with 100mm tall upstands and level entry access for wheelchair accessibility. Supplied with selected screens and hardware (Hinged, Sliding or Fixed Panel). Standard hardware finish supplied is chrome, although available in a range of finishes. Flow Rate: 50L/min min.

## Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2, G1.3.4

## Contributions to compliance

B2.3.1: The Accessible Shower Tray is warranted for up to 25 years (depending on installation type) when installed as per the installation instructions.

F2.3.1: All glass supplied is toughened safety glass. The product is safe to handle.

G1.3.2: Easy-to-clean and does not harbour germs.

G12.3.5: Shower requires hot water for personal washing, showering, or bathing.

## Scope of use

Accessible Shower Systems are suitable for use in domestic and commercial bathroom. Can be installed Step

Entry, Level Entry or Seamless Entry (depending on scenario). Seamless Entry is intended for complete disability access where there is no transition between bathroom floor and shower floor. Accessible Showers are supplied with large doors, or can be specified with Fixed Panel or supplied with curtain (from third-party) for uninterrupted opening to shower.

## Conditions of use

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied. Must be installed in accordance with installation instructions supplied (<https://atlantis.co.nz/wp-content/uploads/BFK-ACC.pdf>). Refer to Product Care webpage (<https://atlantis.co.nz/home-owners/product-care/>) for guidance on cleaning shower.

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Accessible Shower Tray Installation Instructions (Installation)	02/12/2020	<a href="https://atlantis.co.nz/wp-content/uploads/BFK-ACC.docx">https://atlantis.co.nz/wp-content/uploads/BFK-ACC.docx</a>
Accessible Shower Warranty (Warranty)		<a href="https://atlantis.co.nz/warranty/">https://atlantis.co.nz/warranty/</a>
Atlantis Shower Product Care (Maintenance)		<a href="https://atlantis.co.nz/home-owners/product-care/">https://atlantis.co.nz/home-owners/product-care/</a>

## Contact details

<b>Manufacture location</b>	New Zealand
<b>Legal and trading name of manufacturer</b>	Atlantis Bathroom Style
<b>Manufacturer address for service</b>	26 Porutu Place Tauranga 3110
<b>Manufacturer website</b>	<a href="https://atlantis.co.nz">atlantis.co.nz</a>
<b>Manufacturer email</b>	<a href="mailto:support@atlantis.co.nz">support@atlantis.co.nz</a>
<b>Manufacturer phone number</b>	0800428526
<b>Manufacturer NZBN</b>	9429037342050

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=0727001c2fddd4aeb6e5a9dc30fa0dba7e556770>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

No

---

## Appendix

### BPIR Ready selections

Category: Sanitary fixtures and appliances

	Yes	No
Suitable for Accessible facilities	x	
Provision of hot water		x

### Building code performance clauses

All relevant building code performance clauses listed in this document:

#### B2 Durability

##### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

#### F2 Hazardous building materials

##### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

#### G1 Personal Hygiene

##### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=0727001c2fddd4aeb6e5a9dc30fa0dba7e556770>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

G1.3.4

Personal hygiene facilities provided for *people with disabilities* shall be *accessible*

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=0727001c2fddd4aeb6e5a9dc30fa0dba7e556770>

Get BPIR Ready | [bpir.nz](https://bpir.nz)