



### Contents

#### Introduction

04 No leaks, guaranteed

05 The Atlantis Solution

06 Creating your dream tiled shower

The Atlantis Range 09

#### Showers

Linea Quattro™ 10

Ebony & Ivory<sup>™</sup> 18

EasyTile™ 24

30 Black Pearl™

Quub™ 36

Accessible Shower 42

Freeform/Custom Showers & Frameless Screens 46

### Finishes

Ellure<sup>™</sup> Tile Look Walls 54

58 Linea Quattro™ Architectural Finishes (surface overlays)

60 Foundry Series Hardware Upgrade

#### Accessories

EasyNiche™ 66

70 EasyNiche™ Recessed Towel Warmer & Aura Shelf

72 Icona™ Heated Towel Rails, Poles & Bathroom Accessories

Purelite Mirror & Ebony & Ivory Collection Baths 78

### **Technical**

86 **Product Warranties** 

Technical Specifications 88

95 Product Order Forms

111 About Atlantis





# No leaks, guaranteed.

With Atlantis you can be sure that leaks from your tiled shower are a thing of the past.

Whatever your bathroom environment and flooring structure, our primary focus is to create a superior shower solution that will make your shower space watertight.

At Atlantis we are so confident in the superior performance of our Linea Quattro<sup>™</sup>, EasyTile<sup>™</sup> shower base systems that we will guarantee their durability and leak-free function for a minimum of 25 years\* – exceeding the requirements of the New Zealand Building Code, giving you peace of mind that your choice in Atlantis is the right one.

\* See detailed Warranty Statement on Pg. 86.







### The Atlantis Shower Solution



#### A. SOLID BASE

The Atlantis shower base is unlike any other. The one-piece waterproof shower base made from fibreglass forms a solid shower floor that will not flex or move. All bases can be installed onto existing floors for low-step entry, or can be recessed into the floor structure to create a level-entry shower with minimal alterations required.



#### **B. 100% WATERPROOF**

Made with thermoformed PMMA, backed with a tough fibreglass composite and enclosed with a generously high upstand along each wall-side, the Atlantis shower base is already waterproof and designed for perfect water drainage, leaving no chance for water to escape other than where directed.



#### C. SUPERIOR GLAZING CHANNELS

Atlantis glazing channels are designed to interlock at the critical corner junctions, providing a complete water seal and giving you extra peace of mind. \* The base channel comes factory fitted onto the base, and the wall channel is applied direct to the waterproofing before tiling to create a superior result.



#### D. HIGHEST QUALITY SAFETY SCREENS

Whether you prefer a fully-enclosed shower or just to walk in, Atlantis' nano-coated CristalVision™ screens are made to the highest safety standards and are designed to work perfectly with the rest of the shower structure. No separate measuring or waiting required, or reliance on other suppliers. Optional clip-on door seals further enhance water tightness.



#### E. EASYNICHE™

Tiled recessed shower shelves can be difficult and time-consuming to construct and waterproof. The Atlantis one-piece EasyNiche™ is made from the same rigid material as the shower base, and can be fitted easily and quickly into the wall for an attractive and fail safe result. Available for tiled or prefinished walls.



#### F. 25-YEAR WARRANTY

Because our showers have been rigorously designed and tested from start to finish, we are so confident in the performance of our showers that we promise leak-free showering for the life of your shower. While each system component comes with an individual guarantee, all Atlantis tile-over shower bases offer a 25-year durability and leak-free warranty, offering you complete peace of mind.

<sup>\*</sup>Patent No. 510350. Wall glazing channel Design Registration No. 403850.



# steps to creating your dream shower

# Work out the measurements and ideal shape to fit your space.

Atlantis has a large range of the most common base sizes and shapes, up to 2000mm wide by 1000mm deep. We also offer custom shapes and sizes (Pg. 46).

# 2 Choose from our range of base and drain designs to best suit your environment.

Your options include the sleek styling of a channel drain (Linea Quattro<sup>™</sup>), a tile-over centre-drain look (EasyTile<sup>™</sup>), solid white or black stone base (Ebony & Ivory<sup>™</sup>), premium prefinished white shower system (Black Pearl<sup>™</sup>) or acrylic shower available in white or graphite (Quub<sup>™</sup>).

### 2 Determine what wall finish you prefer.

Ellure™ Tile Look Walls, one piece acrylic wall liner or ceramic tiles over waterproofing. Atlantis shower bases come already 100% waterproof but you will need to consider additional waterproofing for the bathroom walls and floors if tiling.

# 4 Select your preferred screen option to match from our range of styles.

Choose from hinged, sliding or walk-in (panel) screen options on all showers.

# 5 Decide on what accessories you would like with your shower.

Accessorise your shower with EasyNiche<sup>™</sup> recessed wall shelves (Pg. 66), stunning new Foundry Series Hardware (Pg. 60) for the finest finishes available and/or upgrade your Linea Quattro<sup>™</sup> shower base with a factory-fitted Architectural Finish (Pg. 58)

# Now it's time to choose your tapware, tiles and book your shower installation!

We advise using a qualified tradesperson or shower installer. To contact a recommended independent installer near you, visit www.atlantis.co.nz

<sup>\*</sup> Atlantis product warranties apply regardless of who installs the product. See Pg. 86 for warranty details.



# steps to installing your tiled shower



Step 1. Position shower base.

Step 2.

Step 3.

Step 4.

Step 5.

Apply waterproofing.

Fit wall glazing channels, then lay tiles.

Tiling complete.

Fit frameless screens.




Overview of installation method - the above scenario and times are a guide only. Installation times may vary depending on materials used, and may be carried out on more than one day. Visit www.atlantis.co.nz for a recommended independent installer near you.



### Online Product Selector

Simplify your experience with Atlantis. Visit our website for a simple walk-through of all Atlantis products. Search and filter our ranges, make a list and then easily send it to your nearest retailer(s) to request a quote.

Visit atlantis.co.nz/selector for more information.






# The Atlantis Range

Explore our extensive range of market-leading tiled & prefinished showers, and bathroom products.

### 1. Showers



### Linea Quattro™ Channel Drain Shower System pg. 10

- One-piece solid shower base
- 100% waterproof
- · Integrated channel drain
- · Factory-fitted glazing channels
- Over 70 sizes/options available
- · 25-year Leakfree Warranty



#### Ebony & Ivory Stone Shower System pg. 18

- Solid Prefinished
   LiberettoStone™ shower base
- · 100% waterproof
- · Available in Black or White
- · Integrated mini-channel drain
- 7-year Leakfree Warranty



### EasyTile<sup>™</sup> Centre Drain Shower System pg. 24

- One-piece solid shower base
- · 100% waterproof
- Centre waste outlet
- Factory-fitted glazing channels
- · 12 sizes/options available
- 25-year Leakfree Warranty



#### Black Pearl<sup>™</sup> Pure White Shower System pg. 30

- One-piece solid shower base
- · 100% waterproof
- · Centre waste outlet
- Factory-fitted glazing channels
- · 23 sizes/options available
- 7-year Leakfree Warranty



#### Quub<sup>™</sup> White or Graphite Shower System pg. 36

- · One-piece solid shower base
- · 100% waterproof
- · Centre waste outlet
- · Factory-fitted glazing channels
- · 12 sizes/options available
- 25-year Leakfree Warranty



#### Accessible Shower System pg. 42

- Showers and/or frameless screens for your unique space
- Endless options
- 7-10 year warranties (depending on system)

### 2. Finishes



Ellure Tile Look Walls pg. 54

Premium Tile Look Acrylic Walls



Linea Quattro Architectural Finishes (surface overlays) pg. 58

Tile alternatives for Linea Quattro™ shower bases



Foundry Series Hardware pg. 60

Upgrade your shower hardware

### 3. Accessories



EasyNiche, Towel Warmer & Aura Shelves pg. 66

Leakproof shower and bathroom storage spaces



Icona Heated Towel Rails, Poles & Accessories pg. 72

Beautiful towel rails in a range of stunning styles and finishes



Purelite Mirrors & Baths pg. 78

Accessorise your bathroom with premium products by Atlantis

For more information on all products view our online product selector at atlantis.co.nz/selector









The market-leading tile-over channel drain shower, featuring our unrivalled 25-year warranty.





# linea quattro

Exceed your shower expectations with Linea Quattro™

The premium tile-over channel drain shower solution for timber or concrete floors. Create a seamless bathroom with the stepless entry shower.

The Linea Quattro<sup>™</sup> shower system suits being tiled completely, Ellure<sup>™</sup> Tile Look Walls and/or an Architectural Finish in a range of stunning options.

- Low profile one piece shower base with easy clean trap. May be installed as low step or level entry (stepless)
- 25 Year Leakfree Warranty on Linea Quattro<sup>™</sup> shower base
- TANZ Appraised (Tile Association of NZ)
- Integrated tile-over channel drain in side or back configurations adjacent to wall.
- Single tiling plane suits large format tiles, or one piece Architectural Finishes (Pg. 58)

- Available with 2140mm high naked frameless<sup>™</sup> or contemporary frameless hinging screens including factory-applied CristalVision nano-coating.
- Optional EasyNiche<sup>™</sup> Recessed Product Shelves (Pg. 66)
- Vast range of standard shower sizes and shapes from 900 x 800mm to 2000 x 1000mm. Custom options available.

Linea Quattro<sup>™</sup> Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.








### Linea Quattro<sup>™</sup> - three wall hinged door, sliding door & walk-in shower sizes

3-WALLED SHOWERS  W  BACK DRAIN POSITION	800MM DEEP	SIZE (mm)	BACK DRAIN	NAKED FRAMELESS  O		
		WIDTH DEPTH		ENCLOSED HINGED DOOR HR	ENCLOSED SLIDING DOOR <b>SL</b>	WALK-IN FIXED PANEL <b>FX</b>
	PRAGUE	900 x 800	•	·	13	
Fit in place	DALLAS	1000 x 800	•	· Win	95	
Fit in place of a bath	BEIJING	1100 x 800	•	· Sin&o	•	
	STOCKHOLM	1200 x 800	•	•	•	•
	LINCOLN	1300 x 800	•	•	•	•
	MOSCOW	1400 x 800	•	•	•	•
	WASHINGTON	1500 x 800	•	•	•	•
	BUDAPEST	1600 x 800	•	•	•	•
	AMSTERDAM	1700 x 800	•	•	•	•
	COPENHAGEN	1800 x 800	•	•	•	•
	HAVANA	1900 x 800	•	•	•	•
	SEOUL	2000 x 800	•	•	•	•


3-WALLED SHOWERS  w  a D  LH DRAIN POSITION	900MM DEEP	SIZE (mm)	LH DRAIN RH DRAIN BACK DRAIN	2140mm HIGH NAKED FRAMELESS		
w		WIDTH DEPTH		ENCLOSED HINGED DOOR <b>HR</b>	ENCLOSED SLIDING DOOR <b>SL</b>	WALK-IN FIXED PANEL <b>FX</b>
	ROME	900 x 900	•	· DOOR		
	TURIN	1000 x 900		· Swings		
	ZURICH	1100 x 900	•	ingo	•	
	BERLIN	1200 x 900	• • •	•	•	•
RH DRAIN POSITION	VIENNA	1300 x 900	•	•	•	•
w	SANTIAGO	1400 x 900		•	•	•
	BARCELONA	1500 x 900	• • •	•	•	•
Δ	OTTAWA	1600 x 900	• • •	•	•	•
	PHOENIX	1700 x 900	•	•	•	•
	TOKYO	1800 x 900	• • •	•	•	•
BACK DRAIN POSITION	OSLO	1900 x 900	•	•	•	•
	SINGAPORE	2000 x 900	• • •	•	•	•

 $All\ 3-wall\ doors\ can\ be\ hinged\ or\ fixed\ from\ left\ or\ right\ wall.\ All\ 3-wall\ doors\ can\ slide\ from\ left\ to\ right\ or\ right\ to\ left.$ 



All 3-wall doors can be hinged or fixed from left or right wall. All 3-wall screens can slide from left to right or right to left.


3½-WALLED SHOWERS  W  O  Too	1000MM DEEP	SIZE (mm)	LH DRAIN	RH DRAIN
LH DRAIN POSITION		WIDTH DEPTH		
W	NAGOYA	1400 x 1000	•	•
	EDMONTON	1500 x 1000	•	•
	ORLANDO	1600 x 1000	•	•
RH DRAIN POSITION  No glass	HONOLULU	1800 x 1000	•	•



31/2-walled shower bases do not come with screens and are only available as fully walk-in. Screen diagrams are indicative only, visit our website for exact panel sizes if required.




### Linea Quattro<sup>™</sup> - two wall hinged door, sliding door & walk-in shower sizes



<sup>©</sup> Copyright and all other intellectual property rights in the Linea Quattro™ shower base and screen look are claimed and reserved. \*HR-B/C refer to technical guide for exact glass configurations/dimensions.













Handcrafted
LiberettoStone<sup>™</sup> shower
system available in
stunning Black or White.



Ebony & Ivory Premium prefinished





### Designed for dramatic effect.

Ebony & Ivory<sup>™</sup> embodies the beauty in contrast – both phyiscally and metaphorically. Black and white work together to create a captivating visual experience, encouraging freedom of expression for the most creative, luxurious and functional bathrooms.

Ebony & Ivory<sup>™</sup> Showers are handmade from elegant LiberettoStone<sup>™</sup> – a durable mix of resin and fine stone that is cast and then polished to create beautiful shower trays. The Ebony & Ivory<sup>™</sup> system suits tiled ceramic walls or Ellure<sup>™</sup> Tile Look Walls.

- Low-step entry for a subtle transition from bathroom to shower.
- Solid LiberettoStone<sup>™</sup> construction
- Various sizes and shapes to suit any unique bathroom. Custom options available
- Silky smooth black or white stone finish

- Integrated mini-channel drain located at rear of shower in a range of positions
- Available with 2140mm high frameless Sliding, Hinged and Walk-in glass screens including CristalVision nano-coating.

Ebony & Ivory<sup>™</sup> Foundry Series Hardware Upgrade

Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.




Subtle LiberettoStone™ mini-channel drain








### Ebony & Ivory<sup>™</sup> shower system - hinging and sliding door sizes



\* HR-T - Door located on short side




Ebony & Ivory<sup>™</sup> Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.



Screen diagrams are indicative only. Please contact Atlantis to confirm exact panel size if this information is required. Actual base size may be up to 10mm larger in width or depth. For exact base measurements please see our website or contact Atlantis Bathroom Style. © Copyright and all other intellectual property rights in the Ebony & Ivory™ shower base and door look are claimed and reserved.











# EASYTILE

The original one-piece, centre drain, tile over shower system, including the Atlantis 25-year warranty.





# EASYTILE

Classic style, enduring function.

The versatile tile-over shower solution for the everyday Kiwi lifestyle. Achieve a tiled shower safely and securely with the original EasyTile<sup>TM</sup> system – first designed 25 years ago.

The EasyTile<sup>™</sup> shower system is designed to be completely tiled or is compatible with Ellure<sup>™</sup> Tile Look Walls or acrylic wall liner.

- Low profile one piece shower base 50mm high step in does not rely on waterproofing as other showers do
- TANZ Appraised (Tile Association of NZ)
- Solid waterproof construction –
   25 Year Leakfree Warranty on base
- 75mm wall junction upstand for guaranteed watertightness
- Factory-fitted glazing channels for hassle-free glass installation process

- Centre easy clean waste fitting, discreetly concealed under a tile insert cover (vertical hi-flow option available)
  - 12 standard shower sizes / shapes
- Available with frameless hinged screens at 1960mm high from floor
- Optional EasyNiche<sup>™</sup> recessed product shelves (Pg. 66)

EasyTile<sup>™</sup> Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.



Registered Design No's. 401532, 401533, 403852. Patent No. 510350.









### EasyTile<sup>™</sup> - two wall, three wall & angle front hinged door sizes

R




Screens can be reversed



3-WALLED SHOWERS










Matte Black. See Pg. 61 for options.











Premium low profile white prefinished acrylic base and frameless screens.









### BLACK PEARLTM



Clean white floor, flexible wall finish.

A premium fully frameless, top of class, practical shower. Black Pearl<sup>™</sup> is supplied with superior hardware – including a machined stainless steel waste outlet – and CristalVision frameless screens. This acrylic shower is a cut above the rest.

The Black Pearl<sup>™</sup> shower system suits Ellure <sup>™</sup> Tile Look Walls, one piece acrylic wall liner or ceramic tiled walls.

- Low profile <u>white</u> acrylic shower base
- Rear located waste outlet (centre waste also available with most sizes)
- Available fully frameless at 2060mm high including CristalVision nano-coated glass
- 24 standard shower sizes / shapes
- Optional Retro-fit or Tile-over EasyNiche™ available (Pg. 66)

- Available with miGlide Soft-Close Sliding on all showers <u>over</u> 900 wide. Note: miGlide (sliding) screens can only be left as standard (brushed stainless) or upgraded to Matte Black.
- Self-centering chrome-plated brass hinges and superior aluminium hardware
  - Easy installation one person, one site visit

Black Pearl<sup>™</sup> Foundry Series Hardware Upgrade

Upgrade your hinged shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.




Registered Design No. 403851. Patent No. 510350.








### Black Pearl<sup>™</sup> - two wall, three wall & angle front shower sizes













# Quub

The affordable, low-profile acrylic centre drain shower system by Atlantis.

Available in two floor finishes – Gloss White or Graphite (Matte Black).







## Quub

Simplicity and functionality working in harmony.

The Quub<sup>™</sup> shower has been designed with simplicity in mind. Now available in Graphite or Gloss White.

The one-piece Quub<sup>™</sup> tray features factory-fitted glazing channels, stunning frameless screens, and premium hardware. Rely on Quub<sup>™</sup> for a bulletproof prefinished shower.

- Slim low profile one piece shower base –
   50mm high step in
- Available in Gloss White or Graphite –
  Graphite includes Matte Black Hardware
  as standard
- 12 standard shower sizes / shapes
- Available fully frameless at 1960mm high

GRAPHITE (BLACK)

Solid waterproof construction –
 7-year durability warrranty

#### GLOSS WHITE



Supplied standard with satin glazing channels and wall channels and chrome handles, hinges and top brace.



Supplied standard with matte black glazing channels, wall channels, handles, hinges and top brace.


Quub<sup>™</sup> Foundry Series Hardware Upgrade

Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.




Registered Design No's. 401532, 401533, 403852. Patent No. 510350.










## Quub<sup>™</sup> - two wall, three wall & angle front hinged door sizes

























Explore our range of 1200 x 1200 showers – designed for accessible bathroom spaces.







## Accessible Showers

The large shower solution by Atlantis – for accessible bathrooms, or for those that prefer a bigger shower.

Available in one size, in a range of configurations, the Accessible Shower meets accessibility requirements that most standard showers don't.

With three entry styles – Seamless Entry, Level Entry & Step Entry – there is an option for each unique bathroom. Combine with your choice of screens to create your dream large shower that meets NZS 4121:2001 requirements for accessibility.

- Low profile one piece shower base –
  can be tiled, vinyl flooring, or left as-is,
  prefinished gloss white surface
- 75mm wall junction upstand for guaranteed watertightness
- Solid waterproof construction –
   25-year leak free warranty on base\*

- Central easy clean waste fitting
- Available with frameless screens at 2140mm high – door at 900mm wide on hinged screens
- Optional EasyNiche<sup>™</sup> recessed product shelves (Pg. 66)

Accessible Shower Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.





## Accessible Showers - sizes and screen configurations

2140mm HIGH

HINGED






FIXED PANEL



SLIDING



\*When supplied as a 'Level Entry' or 'Step Entry' style tray. See Pg. 93 for more information on the Accessible Shower.

WIDTH

DEPTH

1200 x 1200

3-WALLED SHOWERS





# Freeform Showers & Frameless Screens

Require a solution for your unique space? Count on us to create a custom shower and/ or screens package to suit your needs.





## Freeform/Custom Showers – design your freeform shower base

Create the perfect shower for your unique space. Use the Freeform Drawing Sheet below, providing as many measurements and as much detail as possible.

Please ask your preferred bathroom merchant to send your completed drawing to Atlantis for availability options and quotation. Examples on opposing page may be used to explore some options we can create. Custom options available outside of those shown. If unsure, contact Atlantis for more information.

I	Plumbi	ing Re	etailer	r;						Name	7.		P	hone N		er:			Ema	.il:			
	No.	of fram			dicate	Tı	iled ray ended p	position	Tra	,	waste/	Level Entry		ep	(if	ameless S available Please sh	ntended	_	inged guratio	on of th	 iding eless gla	ass scre	Walk-in low
-																							
-																							

Please provide as many measurements and details as possible in the space above.

Note: Custom showers are non-returnable and non-refundable. When complete, please ask your preferred bathroom merchant to send to support@atlantis.co.nz





## Freeform/Custom Showers – options available


## lınea quattro

Custom tile-over tray package (Architectural Finishes can also be applied). Frameless glass screens can be supplied on most options.

Typically Linea Quattro  $^{\text{\tiny{M}}}$  showers can supplied from 2000mm wide, and up to 1200mm deep. Multiple configuration options.












#### BLACK PEARL™

Custom prefinished acrylic tray package. Frameless glass screens can be supplied on most options.

Typically Black Pearl™ showers can be supplied from 1800mm wide to 1000mm deep. Five outlet position options available.











## Frameless Screens

Explore our beautiful frameless screens and components.

Atlantis' range of glass screens, quality hardware and installation kit all fit together as part of a seamless, integrated system.

We provide a pre-packaged system from a single source; this means that you only have to deal with one company for a total solution.

- European Standard toughened safety glass
- Factory-applied CristalVision™
   nano-coating for easy cleaning
- Polished chrome top brace and blocks
- Stainless steel handles and sliding rollers
- Polished chrome over brass self-centering hinges, with soft close mechanism
- 3-wall screens can be reversed
- Supplied with vertical and bottom door seals

Frameless Screens Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 61 for options.






## Frameless Screens - sizes and screen configurations

SIZE (mm)	2120MM HIGH CONTEMPORARY FRAMELESS	ENCLOSED HINGED DOOR HR-B	2120MM HIGH NAKED FRAMELESS	ENCLOSED SLIDING DOOR SL
WIDTH DEPTH				
900 x 900		AFS-2W-9X9		
1000 x 900		AFS-2W-10X9		
1100 x 900		AFS-2W-11X9		AFS-2W-SL-11x9
1200 x 900		AFS-2W-12X9		AFS-2W-SL-12x9
1300 x 900		AFS-2W-13X9		AFS-2W-SL-13x9
1400 x 900		AFS-2W-14X9		AFS-2W-SL-14x9
1500 x 900				AFS-2W-SL-15x9
1600 x 900				AFS-2W-SL-16x9
1700 x 900				AFS-2W-SL-17x9
1800 x 900				AFS-2W-SL-18x9
1900 x 900				AFS-2W-SL-19x9
2000 x 900				AFS-2W-SL-20x9
900 x 1000		AFS-2W-9X1		
1000 x 1000		AFS-2W-10X1		
1100 x 1000		AFS-2W-11X1		AFS-2W-SL-11x1
1200 x 1000		AFS-2W-12X1		AFS-2W-SL-12x1
1300 x 1000		AFS-2W-13X1		AFS-2W-SL-13x1
1400 x 1000		AFS-2W-14X1		AFS-2W-SL-14x1
1500 x 1000				AFS-2W-SL-15x1
1600 x 1000				AFS-2W-SL-16x1
1700 x 1000				AFS-2W-SL-17x1
1800 x 1000				AFS-2W-SL-18x1
1900 x 1000				AFS-2W-SL-19x1
2000 x 1000				AFS-2W-SL-20x1

The finished shower may be up to 25mm smaller than the sizes listed. See website for actual measurements.



AFS-FX-1370

1370





# Finishes & Accessories

Explore Ellure<sup>™</sup>, Architectural Finishes, Foundry Series, EasyNiche<sup>™</sup>, Icona<sup>™</sup> Heated Towel Rails & Purelite Mirrors.







## Ellure<sup>™</sup> Tile Look Walls

Immerse yourself in the beauty of Ellure<sup>™</sup>.


Create a bathroom with the clean lines and luxury look of tiles, but enjoy the ease of an acrylic wall. The Ellure<sup>™</sup> Tile Look Wall features sleek lines etched into a crisp white acrylic surface. Compatible with all Atlantis shower bases and screens, the 2400mm high Ellure <sup>™</sup> walls are scaleable, creating infinite possibilities in sophisticated style.

- Solid acrylic wall surface, 5mm thick
- Elegant 3mm white waterproofing joiner strips with large waterproofing flanges hidden behind the wall panels
- Upgraded corner extrusion for guaranteed watertightness in high-risk areas
- 2400mm wall height, almost limitless width for all Atlantis shower sizes
- Easy installation, with no special building consent required

- Compatible with all Atlantis base and screen options and Retro-fit EasyNiche
- One site visit for complete installation
- No waterproofing required
- No grout or visible silicon
- Easy to clean surface, simply wipe down.

<sup>©</sup> Copyright and all other intellectual property rights of the Ellure™ Tile Look Wall are claimed and reserved. All wall designs are registered designs. Registered Design No's 416225, 416226, 416521, 416526, 416527, 417653, 417663, 418818, 419198, 419200, 419201, 419199.






Finishes
Ellure" Tile
Look Walls



## Ellure<sup>™</sup> Tile Look Walls - two-walled shower options


Up to 1200mm wide



Three pattern options available:

Hex, Subway & Simply White.


1201mm to 1500mm wide



Three pattern options available:

Hex, Subway & Simply White.

Over 1501mm wide



Three pattern options available:

Hex, Subway & Simply White.

3mm aluminium joiner strip available on 1501mm side. Centred feature panel available.



#### Simply White

Simple & timeless. Horizontal large format 'tiles'. 300mm high.



#### Subway

Subtle & traditional. Brick bond stacked 300x75mm subway 'tiles'.




#### Hex

Modern & geometric. Vertically stacked 80x92mm hex 'tiles'.



## Ellure<sup>™</sup> Tile Look Walls - three-walled shower options


Up to 1200mm wide



Three pattern options available:

Hex, Subway & Simply White.


1201mm to 1500mm wide



Three pattern options available:

Hex, Subway & Simply White.

Over 1501mm wide



Three pattern options available:

Hex, Subway & Simply White.

3mm aluminium joiner strip available on 1501mm side. Centred feature panel available.

#### Ellure<sup>™</sup> Sheets

Ellure<sup>™</sup> Sheets can be supplied to carry on throughout a bathroom beyond your shower, or for above/surrounding a bath. Available at 2400 high x 1200 wide and include discreet internal waterproofing and joiner connections.







## Linea Quattro<sup>™</sup> Architectural Finishes (surface overlays)

Explore our range of premium floor surfaces for your stunning Linea Quattro<sup>™</sup> channel drain shower base. Available as an optional upgrade with any Linea Quattro<sup>™</sup> shower base. Architectural finishes are one-piece surface overlays, factory-fitted to your tray – an excellent alternative to on-site tiling of the shower floor.



White Liberettostone™

Solid LiberettoStone $^{\text{TM}}$  in beautiful white. Simply stunning.



Terra Liberettostone™

Add a natural earthy feel to your bathroom with the Terra architectural finish.



Black Liberettostone™

Achieve a slot drain effect with minimalist, moody and striking jet black.



Nero Liberettostone™

As intriguing as the night sky. Combines dark greys and browns with hints of white throughout.



Alabaster Porcelain Slab

Alabaster adds a chic and contemporary touch to any shower.

Note: Architectural finishes are made of engineered LiberettoStone™ and may have natural imperfections, adding uniqueness to your finished product. Linea Quattro shower bases are white, with Architectural Finishes being factory-fitted over this white surface.

Patent No. 631776.





Finishes
Linea Quattro<sup>w</sup>
Architectural Finishes





Finishes Foundry Seri Hardware



## Foundry Series Hardware Upgrade

A selection of the finest hardware finishes, built on a stunning Matte Black foundation.

Set on Atlantis' market-leading matte black base finish – consisting of matte black glazing channels and top brace – upgrade your shower with the highest quality hinges, handles and rollers in Aged & Polished Brass, Brushed Nickel, Brushed Gold, Gunmetal and Matte Black.

All finishes are PVD other than Living Finishes (Aged & Polished Brass).



Polished Brass Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Aged Brass Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Brushed Gold Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Brushed Nickel Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Gunmetal Hinging/Sliding Hardware on Matte Black glazing channels & top brace




Matte Black Hinging/Sliding Hardware on Matte Black glazing channels & top brace

Note: Living Finishes will continue to age and patina over time. A polished brass finish can be maintained with Brasso or similar brass cleaner. Fixed Panel & Black Pearl miGlide showers are available in Matte Black Upgrade only. Foundry Series Showers are custom made and once ordered are unable to be returned.

See next page for Foundry Series in context.





Finishes Foundry Series Hardware





Finishes
Foundry Series
Handware







# easyniche<sup>®</sup>

Adding the stunning finishing touches.

To add that final touch of finesse to your bathroom, Atlantis have developed a beautiful range of complimentary products.

EasyNiche<sup>™</sup> – the Atlantis recessed product shelf, creates vital storage space inside your shower enclosure, without compromising aesthetics.


EasyNiche<sup>™</sup> Recessed Towel Warmer – this new design combines the traditional EasyNiche<sup>™</sup> recess with a heated towel rail. With design in mind the towel warmer helps maintain clean lines in any bathroom environment.

EasyNiche<sup>™</sup> Aura Shelf – the new recessed storage shelf that provides a simple and practical solution to the recurring problem of a lack of storage space in modern bathrooms. Combine with the Recessed Towel Warmer for the ultimate duo in bathroom storage.

Experience an evolution in bathroom style with superior shower solutions, well crafted, and design led bathroom accessories by Atlantis.

EasyNiche Registered Design No. 415619, 415620, 418228. Towel Warmer Patent No. 626027.





Accessories
EasyNiche", Iconar
Purelite" and Ebon



## easyniche<sup>®</sup>

Enhance your shower with a selection of tile-over, exposed or retro-fitted recessed product shelves and footrests.

#### Tile-over EasyNiche™


The tile-over EasyNiche™ is built to last for the life of your tiled shower. A one-piece standalone unit, EasyNiche™ is 100% waterproof and comes with a 25-year warranty against leaks. Available in 10 convenient shelf sizes and a matching footrest. EasyNiche™ can be installed with any compliant waterproofing (using the simple self-adhesive connection tape supplied – see steps on next page). EasyNiche™ comes in a complete kit with installation materials included, and is designed to be tiled over.

#### Exposed/Tile-in EasyNiche™

The stylish exposed/tile-in EasyNiche<sup>™</sup> is prefinished in white gloss and is recessed into tiled walls before tiling. Simply tile up to the lip. Solid one-piece construction, 100% waterproof and includes a 7-year durability warranty. All installation materials are supplied.

#### Retrofit EasyNiche™


Create space in your shower with a non-tiled recessed EasyNiche<sup>™</sup> available in gloss white or black finish. Simply retro-fit into a wall liner or Ellure tile look walls, and enjoy the functional and elegant finish of a Retrofit EasyNiche<sup>™</sup>. Solid one-piece construction, 100% waterproof and includes a 7-year durability warranty. All installation materials are supplied.







## Tile-over EasyNiche<sup>™</sup> - shelf sizes, specifications & installation overview




#### LARGE RECTANGLE

OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
1500mm	1540 x 340	EN1500
1200mm	1240 x 340	EN1200
900mm	940 x 340	EN900
750mm	790 x 340	EN750













OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
600mm	640 x 340	EN600
500mm	540 x 340	EN500
450mm	490 x 340	EN450
350mm	390 x 340	EN350
200mm	240 x 340	EN200

#### Overview Only. See installation instructions for full method.



For a more in-depth look, please view our instructional video at atlantis.co.nz



SQUARE

SMALL RECTANGLE




**SQUARE** 

**FOOT REST** 

OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
300mm	340 x 340	EN300

#### **FOOT REST**

OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
140mm	180 x 120	EN 140F



For ceramic tiled walls.

- One-piece lightweight construction made from rigid HIPS composite.
- 100% waterproof.
- Immediately ready-to-tile (once interlayer is applied).
- Built-in gradient prevents water ponding.
- · Compliant with NZ Building Code and AS3740.
- Fits into 90mm wall cavity.
- 65mm waterproofing flange.
- · Suitable for horizontal or vertical installation (except footrest).


- Suitable for all wallboards (recommended 6mm minimum).
- Supplied with self-adhesive reinforcement band for connection to wallboard and waterproofing.
- Must be installed prior to wallboard, and requires additional framing for correct setup.
- Supplied with installation materials.
- 25-year durability and leak-free warranty.



EasyNiche Registered Design No.415619, 415620.



## Exposed/Tile-in EasyNiche<sup>™</sup> - shelf sizes, specifications & installation overview



- One-piece lightweight construction made from rigid PMMA.
- Gloss white surface.
- Available in one size 400mm x 300mm.
- Suits tiles up to 12mm thick.
- Built in gradient prevents water ponding.
- 65mm waterproofing flange.
- Must be installed prior to wallboard and requires additional framing.
- Supplied with installation materials.
- 7-year warranty.









Overview Only. See installation instructions for full method.



For a more in-depth look, please view our instructional video at atlantis.co.nz




## Retrofit EasyNiche<sup>™</sup> - shelf sizes, specifications & installation overview



#### **RETRO-FIT NICHE**


OPTION	CODE
400 x 300 Gloss White	EN400RF-W
400 x 300 Gloss Black	EN400RF-B
400mm x 300r 20mm	mm
	T 6mm 87mm
For acrylic wall li	iner or Ellure™





#### **RETRO-FIT FOOTREST**

OPTION	CODE					
165 x 225 Gloss White	EN140F-RF-W					
165 x 225 Gloss Black EN140F-RF-B						
165mm x 225mm						



For acrylic wall liner or Ellure<sup>™</sup> Tile Look Walls.











#### Overview Only. See installation instructions for full method.



For a more in-depth look, please view our instructional video at atlantis.co.nz

- One-piece lightweight construction made from rigid PMMA in Gloss White or Black
- Available in two sizes Product Niche 400mm x 300mm or Footrest 165mm x 225mm overall
- Designed to be installed in 'existing' shower wall/liner.
- Protrudes 6mm from wall surface finish.
- Product Niche can be installed horizontally or vertically.
- Built in gradient prevents water ponding.
- Supplied with installation materials.
- 7-year warranty.










## EasyNiche<sup>™</sup> Recessed Towel Warmer

The simplicity and practicality of EasyNiche<sup>™</sup> in a towel rail.

Towel rails can now fit with the sleek lines and minimalist aesthetic of any bathroom, with the EasyNiche<sup>™</sup> Recessed Towel Warmer. Safe and efficient 12V heating. Water-resistant and suitable for accessible bathrooms. Fits into 90mm wall cavity.

Available in two sizes in either black or white recess, with Polished Stainless Steel or Matte Black rails.



EasyNiche™ Towel Warmer Registered Patent No. 626027.



## EasyNiche<sup>™</sup> Aura Shelf

Create a storage shelf quickly and easily with the EasyNiche  $^{\text{\tiny TM}}$  Aura Shelf.

Place above a bath, beside a vanity, or pair with the EasyNiche<sup>™</sup>
Recessed Towel Warmer for the ultimate duo in bathroom storage.
Water-resistant and suitable for accessible bathrooms. Fits into
90mm wall cavity. Includes 2 panels of toughened glass.



#### Recess Options

Available in Gloss White or Matte Black.





Accessories
EasyNiche<sup>174</sup>, Icona
Purelite<sup>174</sup> and Ebor



## ic@na

Icona Heated Towel Rails, Poles and Bathroom Accessories are designed and manufactured to the highest level, and coated with the finest finishes available – matched with the Atlantis Foundry Series finishes. Available in three distinct styles, Icona continues to follow the design principles that Atlantis has become known for over the past 20+ years.

#### Chateau


The simple, timeless rail design. For the understated bathroom, add Chateau for a beautifully proportioned design that will blend in seamlessly with it's surroundings.

#### Mont

Sharp and sophisticated, Mont is modern, refined and elegant. The perfect addition to any bathroom, available in a range of colours and sizes to match tapware, and fit into almost any space.

#### Arosa

Arosa is a hit, and rightly so. Bold and beautiful, Arosa is perfectly balanced. Use one rail for a simple addition to your bathroom design, or 3-5 rails to truly make a statement.









## Chateau Rail






Available in three sizes – 450, 600 and 800mm wide. Available in six finish options – Aged Brass, Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black.


## Chateau Accessory Pack

Also available; Chateau Accessory Pack. This includes a Toilet Roll Holder, Robe Hook and Spare Roll Holder (can double as a Hand Towel Rail), in the same design and finishes as the Chateau Rails. Combine with the Chateau Heated Towel Rails for a considered bathroom design.


Find more information on the Accessory Pack at atlantis.co.nz/icona







## Mont Rail



450 / 600 / 800



Available in three sizes – 450, 600 and 800mm wide. Available in five finish options – Matte White, Brushed Nickel, Polished Stainless Steel (Chrome), Gunmetal and Matte Black.


## Mont Accessory Pack

Also available; Mont Accessory Pack. This includes a Toilet Roll Holder, Robe Hook and Spare Roll Holder (can double as a Hand Towel Rail), in the same design and finishes as the Mont Rails. Combine with the Mont Heated Towel Rails for a considered bathroom design.

Find more information on the Accessory Pack at atlantis.co.nz/icona



## Arosa Rail






Available in three sizes – 600, 800 and 1000mm wide. Available in four finish options – Matte White, Brushed Nickel, Polished Stainless Steel (Chrome), and Matte Black.




Accessories
EasyNiche", Icona",





## Chateau Pole






Available in one size – 1000mm tall.

Available in eight finish options – Aged
Brass, Polished Brass, Brushed Gold, Matte
White, Brushed Nickel, Polished Stainless
Steel (Chrome), Gunmetal and Matte Black.

Pair with Chateau Accessory Pack – find more information on Pg. 73.



## Mont Pole







Available in one size – 1000mm tall.

Available in five finish options – Grushed Gold, Matte White, Brushed Nickel,
Gunmetal and Matte Black.

Pair with Mont Accessory Pack – find more information on Pg. 74.





## Purelite<sup>™</sup> Mirror

Enhance your bathroom, adding light and form, now with new sizes and circular options available. Featuring a touchactivated LED perimeter and in-built demister. Includes safe and energy efficient 12 volt transformer.

#### **Finishes**

Available in solid black or white LiberettoStone™.




Matte White



Matte Black

### Square/Rectangle Sizes

Available at 600, 750, 900, 1000 1200, 1500 and 1800 wide.





Note: May be installed horizontally or vertically

### Circular Sizes

Available at 600, 750, 1000 and 1200 diameter.

600 / 750 / 1000 / 1200



Purelite<sup>™</sup> Mirror Registered Design No's. 418918, 418919.









## Presto

The egg-shaped Presto bath embodies the essence of Ebony & Ivory Collection™. With the option of black and white intertwined, this bath is both simple and dramatic. Includes pop-up waste and overflow drain.


#### Finishes

Available in white LiberettoStone<sup>™</sup> inside and top edge, with the option of black or white around the bath exterior/outside.



### Sizes

Available at 1700 long only.







## Sonata

The Sonata bath adds beautiful minimalist curves to the typically square and geometrical lines of modern bathrooms. Includes pop-up waste and overflow drain.


### Finishes

Available in solid white LiberettoStone™ only.

Matte White

### Sizes

Available at 1700 long only









## Renaissance

A beautiful, chunky and comfortable bath. The Renaissance combines height and curves with a sharp plunging profile, setting it apart from the rest. Includes pop-up waste and overflow drain.


### Finishes

Available in solid white LiberettoStone<sup>™</sup> only.



### Sizes

Available at 1700 long only.









## Octave

The Octave is bold and edgy, lending itself to a modern minimalist bathroom. It's sharp lines and broad edges create dramatic impact. Includes pop-up waste and overflow drain.

### Finishes


Available in white LiberettoStone<sup>™</sup> only.



Matte White

### Sizes

Available at 1800 long only.


















# **Technical**

Get to know our products inside and out with our technical guides and specifications



## **Atlantis Product Warranties**

Atlantis Bathroom Style Ltd ("the company") warrants that products or product components manufactured and distributed by the company:

- Meet or exceed the standard requirements of the New Zealand Building Code; and
- Will be free from inherent defects in materials and workmanship for the extended warranty period applicable to the Product (see below).



#### LEAK-FREE WARRANTY

When the shower components are installed in accordance with the manufacturer's instructions, Atlantis Bathroom Style Ltd warrants that the tile-over shower base will not allow water leakage\* into the building structure for a minimum period of 25 years. \*Water leakage excludes surface splashes.

The liability of the company is limited to the replacement of products (or system components) for an equivalent product, and the installation thereof provided the product or component is declared defective by an authorised representative of the company.

The company will not be liable for any damages or losses beyond the installation of replacement products as originally supplied. Under no circumstances will the company be liable for consequential or incidental damages related to the use of this product.

**DO NOT** install a damaged or defective product. Use only the primers, adhesives and silicon sealants supplied with this product, as directed, for the installation of this product.

Apply an approved waterproofing membrane, to the walls. Use only the recommended tile adhesives compatible with selected membrane. Failure to comply may deem this warranty void.

This warranty will not apply where the Products have been improperly installed, have been misused or proof of purchase cannot be provided. The leak-free warranty may not apply where the warranty claim has not been notified to the company within 90 days of the problem first appearing or where any system component is substituted without the company's express agreement.

#### INSTALLATION WARRANTY

As offered by your independent contractor/installer. An Atlantis recommended installer should offer a minimum 5-year installation guarantee for workmanship. Please check before proceeding with any part of this installation.

Please note: Atlantis product warranties apply regardless of who installs the product. Installation warranty not offered by Atlantis. For full details and terms and conditions of warranty please refer to our website – www.atlantis.co.nz/warranty


\*T&Cs apply to Glass Warranty. please refer to our website for details - www.atlantis.co.nz/warranty

Note: Atlantis reserves the right to change product specifications without notice to other parties.



## **Essential Structure**


Atlantis shower bases are unlike any other. Already waterproof, the one-piece preformed base is designed for perfect water drainage, leaving no chance for water to escape other than where directed. The Linea Quattro $^{\text{m}}$  shower base, essential structure is shown in the diagram below.



- 1. One piece shower base
- 2. Channel drain
- 3. Stainless steel drain cover
- 4. Waste outlet 40mm easy clean
- 5. Wall glazing channels
- 6. (Optional) EasyNiche™ accessory
- 7. Base glazing channels (factory installed)
- 8. Frameless Glass Screens

## Waterproofing

The 100% waterproof Atlantis shower base and connection tapes are compliant with the requirements of the New Zealand Building Code. The shower system is compatible with any compliant waterproofing membrane used on the walls and for the rest of the bathroom floor.



- 1. One piece shower base
- 2. Channel drain and stainless steel grate
- Easy clean waste

- 4. Glazing channels
- EasyNiche<sup>™</sup> accessory
- 6. Liquid waterproofing (by others).



# Linea Quattro<sup>™</sup> shower system specifications

#### **SHOWER BASE**

- Structurally solid pre-formed base made of tough FRP material, already 100% waterproof.
- TANZ Appraised (Tile Association of NZ)
- May be installed to achieve a stepless shower floor or simply placed on an existing floor for low step entry.
- 100mm high upstand from floor for secure connection to wall membrane.
- Factory-fitted glass receiver channels on base.
- Guaranteed fall (1:80) to waste.
- Single plane to channel drain surface accepts tiles up to 12mm thick (standard).
- Weight: 16kg/m².

#### **CHANNEL DRAIN & WASTE**

- Integral channel drain located at side or back.
- 40/50mm easy clean trap.
- Minimum flow rate 40 litres per minute.
- Stainless steel drain cover.

#### PRECISION-FIT NAKED FRAMELESS SCREENS

- 8mm toughened safety glass.
- CristalCote nano-coating factory-applied.
- Hinged door option complete with chrome/stainless steel handles, solid brass hinges and fixing materials.

- Sliding door option complete with stainless steel handles, roller assemblies and installation materials.
- Walk-in fixed panel options available in most sizes.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.
- High strength chrome top rail brace at 2000mm high above base.
- Screens supplied at 2120mm overall height.

#### WATERPROOFING

- Optional Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor. Included with this optional package is a base adhesion layer.
- Compatible with all compliant liquid waterproofing products


#### INSTALLATION

Atlantis recommends installation of Linea Quattro™ showers is undertaken by a recommended Atlantis installer. See website or call 0800 428 526 for more details.




Illustration of 2-walled Linea Quattro™ shower showing sliding door.

#### BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE



#### BASE PROFILE LEVEL ACCESS IN A TIMBER FLOOR





# Ebony & Ivory<sup>™</sup> shower system specifications

#### SHOWER BASE (Non-tiled base)

- One piece preformed LiberettoStone™ construction for durable performance.
- LiberettoStone™ is a unique material comprising of stone and resin properties, this is then handcrafted and moulded into our Ebony & Ivory Collection products.
- Structurally strong across entire base and outlet will not deflect or compress.
- Wall junction upstand 100mm high.
- Base height 35mm maximum from floor to top of base.
- Weight: 45kg/m<sup>2</sup>.
- 7 year leak-free and durability warranty.
- Base available in Black (Ebony) or White (Ivory) finish.

#### WATERPROOFING

- Optional Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor.
- Compatible with all compliant liquid waterproofing products.

#### WASTE FITTING

- Waste 40mm direct flow vertical waste outlet.
- Maximum flow rate 40 litres per minute.

#### FRAMELESS SCREENS

- 8mm toughened safety glass.
- CristalCote nano-coating factory-applied.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to interlock with base channels.
- Hinged door option complete with stainless steel handles, solid brass soft closing hinges at 2120mm high.
- Chrome top rail brace included with hinged system.
- Sliding door option complete with stainless steel handles, fully adjustable s/s roller assembly and installation materials.
- Sliding screens and fixed panel supplied at 2120mm overall height.

#### INSTALLATION

Atlantis recommends installation of Ebony & Ivory<sup>TM</sup> showers is undertaken by a recommended Atlantis installer. See website or call 0800 428 526 for more details.

BASE PROFILE LEVEL ACCESS IN A TIMBER FLOOR



Illustration of 2-walled Ebony & Ivory™ shower showing hinged door.

#### BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE

#### Wallboard Wallhoard Toughened safety glass Waterproofing over essential waterproofing conn. tape Waterproofing over essential waterproofing conn. tapes Toughened safety glass Base channel Extra No Base channel Bathroom floor tiles Upstand Jpstand 100mm rom floor Floor level -150mm waste outlet Additional Floor connection angle waste outlet flooring supports between joists shower base to the bathroom floor



# EasyTile<sup>™</sup> shower system specifications

#### EASYTILE<sup>™</sup> BASE (TILING TRAY)

- One-piece pre-moulded base made of tough FRP composite already 100% waterproof.
- TANZ Appraised (Tile Association of NZ)
- Guaranteed fall to waste 1:80.
- Square tile-in drain outlet located at centre.
- Wall junction upstand 85mm high from floor.
- Seepage ports incorporated with drain.
- No floor structural modifications required.
- Shower base comes with factory-fitted glazing channels.
- Weight: 21kg/m².

#### WATERPROOFING

- Optional Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor. Included with this optional package is a base adhesion layer.
- Compatible with all compliant liquid waterproofing

products.

#### FRAMELESS SCREENS

- 8mm toughened glass screens at 1960mm high.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.

#### WASTE FITTING

■ 40mm easy clean fitting

#### **HARDWARE**

- Polished stainless steel door handles supplied with all systems. E handle standard.
- Adjustable bracing system catering for uneven walls, incorporating up to \*/-10mm installation tolerance.
- Chromed, solid brass self-centering hinges.

#### INSTALLATION

 Atlantis recommends installation of EasyTile<sup>™</sup> showers are undertaken by a qualified shower installer.
 See website or call 0800 428 526 for more details.



### Illustration of 2-walled EasyTile™ shower with hinged door.

#### BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE





# Black Pearl<sup>™</sup> shower system specifications

#### BLACK PEARL<sup>™</sup> SHOWER TRAY

- One-piece tray manufactured from tough FRP with an acrylic surface for durable performance.
- Structurally strong across entire base and outlet will not deflect or compress.
- Built-in outflow gradient ensures optimum water flow to outlet. Minimum 12mm fall to outlet.
- Wall junction upstand 100mm high from floor.
- Base height 30mm from floor to top of base
- Waste outlet is located at rear on most sizes, 175mm from rear wall. Some sizes have centre-located waste option.
- Weight: 21kg/m<sup>2</sup>.
- 7 years leak-free and durability warranty.

#### SHOWER WALL - OPTIONAL

Acrylic wall liner or Ellure™ tile look wall.

#### WATERPROOFING

- Optional Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor.
- Compatible with all compliant liquid waterproofing products.

#### FRAMELESS SCREENS

- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.
- CristalCote nano-coating factory-applied.
- 8mm toughened glass screens at 2060mm high.

#### **WASTE FITTING**

- Waste fitting 40mm easy clean waste with side outlet and stainless steel top.
- 5 year manufacturer's warranty.

#### HARDWARE

- Polished stainless steel door handles supplied with all systems. E handle standard. Upgrades available.
- Adjustable bracing system catering for uneven walls, incorporating up to 10mm installation tolerance.
- Chromed, solid brass self centering hinges.

#### INSTALLATION

Atlantis recommends installation of Black Pearl™ showers is undertaken by a qualified shower installer. See website or call 0800 428 526 for more details.



Illustration of 2-walled Black Pearl™ shower showing hinged door.

#### BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE



 $Specifications \ subject \ to \ change \ without \ notice. \ Please \ check \ www.atlantis.co.nz \ for \ latest \ version.$ 

Note: Alternative manufacturing methods are used on some sizes.



# Quub<sup>™</sup> shower system specifications

#### QUUB<sup>™</sup> BASE

- One-piece pre-moulded base made of tough FRP composite already 100% waterproof.
- Guaranteed fall to waste 1:80.
- Square acrylic drain outlet located at centre.
- Wall junction upstand 85mm high from floor.
- Seep ports incorporated with drain.
- No floor structural modifications required.
- Shower base comes with factory-fitted glazing channels.
- Weight: 21kg/m<sup>2</sup>.

#### FRAMELESS SCREENS

- 8mm toughened glass screens at 1960mm high.
- Aluminium wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.

#### WASTE FITTING

■ 40mm Easy Clean fitting

#### **HARDWARE**

- Stainless steel door handles supplied with all systems.
   E handle standard.
- Adjustable bracing system catering for uneven walls, incorporating up to \*/-10mm installation tolerance.
- Solid brass self-centering hinges.

#### INSTALLATION

 Atlantis recommends installation of Quub<sup>™</sup> showers are undertaken by a qualified shower installer.
 See website or call 0800 428 526 for more details.



#### BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE

Illustration of 2-walled Quub™ shower with hinged door.





Accessible Shower shower system specifications

#### **ACCESSIBLE SHOWER BASE**

- One-piece pre-moulded base made of tough FRP, already 100% waterproof. Can be tiled, vinyl flooring or left as-is – gloss white acrylic base surface.
- Guaranteed fall to waste 1:80.
- Tile-in or white acrylic drain outlet located at centre.
- Wall junction upstand 85mm high from floor.
- Seepage ports incorporated with drain.
- Weight: 21kg/m<sup>2</sup>.

#### FRAMELESS SCREENS

- 8mm toughened glass screens at 2140mm high.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system.
- Hinged door supplied at 900mm wide.

#### WASTE FITTING

40mm easy clean fitting

#### HARDWARE

- Polished stainless steel door handles supplied with all systems. E handle standard.
- Adjustable bracing system catering for uneven walls, incorporating up to \*/-10mm installation tolerance.

#### INSTALLATION

 Atlantis recommends installation of Accessible Showers are undertaken by a qualified shower installer.
 See website for more details.






Illustration of 2-walled Accessible Shower with hinged door.

Specifications subject to change without notice. Please check www.atlantis.co.nz for technical details and latest information.



# Frameless Screens specifications

#### FRAMELESS SCREENS

- 8mm toughened safety glass.
- CristalCote nano-coating factory-applied.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to interlock with base channels.
- Hinged door option complete with stainless steel handles, solid brass soft closing hinges at 2120mm high.
- High strength chrome top rail brace included with hinged system.
- Sliding door option complete with stainless steel handles, fully adjustable sealed stainless steel roller assembly and installation materials.
- Chrome top brace system.
- Sliding screens and fixed panel supplied at 2120mm overall height.

#### INSTALLATION

Atlantis recommends installation of shower screens is undertaken by a qualified shower installer. See website or call 0800 428 526 for more details.








Illustration of 2-walled shower showing hinged frameless screens.

For more details and exact measurements, enquire online at www.atlantis.co.nz

## Linea Quattro $^{\mathsf{m}}$ order form



	1											_
Date:				Order #:					_   .		nal essential waterproofing	
Merchant:				Contact:							etion tapes	
						· · · · <del>· · · · · · · · · · · · · · · </del>		28	-   •		p to 12mm thick tiles	
				4				T	•		ectural finish available as	
		ENTRY OPTIO	ONS:	LEVEL ENTR'	Y	STEP ENTRY				an opt	ional extra	
					REFER TO	O PG. 88 FOR INFO	مدد	To the same of the				J
					والمراوية	The same of the last						
3-WALLED SHO	WERS 800MM	DEEP				LESS						
w ©	1	Ę.	BACK DRAIN			2140mm HIGH FRAMELESS A DOOD A DOOD			- 0			
	7	ق س	S S			u u						
BACK DRAIN POS	SITION	NAME SIZE (mm)	BAC		1	ENCLOSED F	HINGED HR	ENCLOSED SI DOOR \$	LIDING SL	WALK-IN F PANEL I	IXED FX	
		-   **		BASE PACKAGE			•		ASE AND SCREENS			
		WIDTH DEPT	Н	CODE		CODE		CODE	OL 7 II VD OOKELI VO	CODE		
Fit in place	e Ot PR	AGUE 900 x 800		LQ-PRA		PRA-HR						
a bath	) D/	ALLAS 1000 x 800		LQ-DAL		DAL-HR						
9 Dan	BE	IJING 1100 x 800		LQ-BEI		BEI-HR		BEI-SL				
	STOCK	1200 x 800		LQ-STO		STO-HR		STO-SL		STO-FX		
	LING	COLN 1300 x 800		LQ-LIN		LIN-HR		LIN-SL		LIN-FX		
	MOS	COW 1400 x 800		LQ-MOS		MOS-HR		MOS-SL		MOS-FX		
	WASHING	TON 1500 x 800		LQ-WAS		WAS-HR		WAS-SL		WAS-FX		
	BUD	APEST 1600 x 800		LQ-BUD		BUD-HR		BUD-SL		BUD-FX		
	AMSTER	2DAM 1700 x 800		LQ-AMS		AMS-HR		AMS-SL		AMS-FX		
	COPENHA	AGEN 1800 x 800		LQ-COP		COP-HR		COP-SL		COP-FX		
		/ANA 1900 x 800		LQ-HAV		HAV-HR		HAV-SL		HAV-FX		
	S	2000 x 800		LQ-SEO		SEO-HR		SEO-SL		SEO-FX		
		· · · · · · · · · · · · · · · · · · ·										
3½-WALLED SHO	OWERS 1000N DEE	/IM P				Linea Qua						
						Architectu	ral Fin	ishes				
<b>a 0</b>	l	NAME SIZE (mm)	LH DRAIN RH DRAIN			Use order	form o	on Pg 108.				
70				BASE PACKAG	E	1 100						
LH DRAIN POSI	TION	WIDTH DEPTH	4	CODE								
W	NAG	30YA 1400 x 1000		LQ-NAG								
1	EDMOI	1500 x 1000		LQ-EDM		FOUNDRY SER	IES HAF	RDWARE UPGRADE				
$\rightarrow$	ORLA	NDO 1600 x 1000		LQ-ORL								
- 1	HONO	1800 x 1000						POLISHED BRASS	UPGRADE-PB	BRUSHED N	ICKEL UPGRADE-BN	
700								AGED BRASS	UPGRADE-AB	GUN	METAL UPGRADE-GM	
RH DRAIN POSI	31/2-W	alled shower bases o	do not come	with screens and	l are only			BRUSHED GOLD	UPGRADE-BG	MATTE B	LACK UPGRADE-MB	
No glas	S availal	ole as fully walk-in.			/							

A Base Package includes a tileover base with a channel drain, drain cover and waste.

<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.



# Linea Quattro<sup>™</sup> order form

Date:								Order	#:					
Merchant:								Conto	ıct:					
									Taylor .					
		ENTRY O	PTIONS:		1	LEVEL ENTRY		STEP ENTRY						
								OTEL ELVIKT						
						REFER	R.TO PG	G. 88 FOR INFO	-					
3-WALLED SHOW	/ERS 900MM D	)EED						SS						
w W	Toolwin b	(mr		NIX	RH DRAIN		1	2140mm HIGH FRAMELESS OOOD OOOD						
LH DRAIN POSIT	ION	NAME SIZE (mm)		LH DRAIN	RH DR			POOR ENCLOSED	HINGED HR	ENCLOSEI DOC	O SLIDING OR <b>SL</b>	G WALK-I PAN	N FIXED EL <b>FX</b>	
w						BASE PACKA	GE			BASE AND SCI	REENS PA	ACKAGE		
	_	WIDT	TH DEPTH		-	CODE		CODE		CODE		CODE		
□ →	□ RC	OME 900	0 x 900			LQ-ROM		ROM-HR						
- 1	TU	IRIN 1000	0 x 900			LQ-TUR		TUR-HR						
	ZUR	ICH 1100	0 x 900			LQ-ZUR		ZUR-HR		ZUR-SL				
RH DRAIN POSIT	TON BEF	1200	0 x 900			LQ-BER		BER-HR		BER-SL		BER-FX		
w	VIEN	INA 1300	0 x 900			LQ-VIE		VIE-HR		VIE-SL		VIE-FX		
	SANTIA	GO 1400	0 x 900			LQ-SAN		SAN-HR		SAN-SL		SAN-FX		
^	BARCELO	NA 1500	0 x 900			LQ-BAR		BAR-HR		BAR-SL		BAR-FX		
	OTTA	WA 1600	0 x 900			LQ-OTT		OTT-HR		OTT-SL		OTT-FX		
BACK DRAIN POS	PHOE	NIX 1700	0 x 900			LQ-PHO		PHO-HR		PHO-SL		PHO-FX		
DACK DRAIN FOS		YO 1800	0 x 900			LQ-TOK		TOK-HR		TOK-SL		TOK-FX		
	0:	SLO 1900	0 x 900			LQ-OSL		OSL-HR		OSL-SL		OSL-FX		
	SINGAPO	ORE 2000	0 x 900			LQ-SIN		SIN-HR		SIN-SL		SIN-FX		
										BASE AND SCI		A CIVA OF		
	1000MI DEEP		TH DEPTH			BASE PACKA CODE	GE	CODE		CODE	KEEINS PA	CODE		
		****	0 x 1000	_				MAD-HR		CODE		CODE		
	GLASG		0 x 1000	<u> </u>			<del> </del>	GLA-HR		GLA-SL				
	TORO		0 x 1000					TOR-HR	旹	TOR-SL		TOR-FX		
	EDINBU		0 x 1000	ш			$\frac{\sqcup}{\sqcap}$	EDI-HR	$\dashv$	EDI-SL				
			0 x 1000			LQ-LIS		LIS-HR	<del></del>	LIS-SL				
						LQ-LIS	<u> </u>	HEL-HR		HEL-SL		HEL-FX		
	CHICA		0 x 1000	<u></u>		LQ-NEL		CHI-HR		CHI-SL				
			0 x 1000				<u> </u>	DUB-HR	౼	DUB-SL				
			0 x 1000	_							_		_	
	HOUS		0 x 1000				<u></u>	SEA-HR HOU-HR		SEA-SL HOU-SL	<u> </u>			
				_					<u>-</u>		<u></u>		<u> </u>	
	LON	DON 2000	J X TUUU			LQ-LON		LON-HR		LON-SL		LON-FX		

All 3-wall doors can be hinged or fixed from left or right wall. 

A Base Package includes a tileover base with a channel drain, drain cover and waste.

## Linea Quattro $^{\text{\tiny TM}}$ order form

RH DRAIN POSITION



Date:								Order #:											
Merchant:								Contact:											
			T																
2-WALLED SHOW	900N	IM DEEP IM DEEP MM DEEP						FRAMELESS											
0		ΜE	SIZE (mm)	LH DRAIN	RH DRAIN	BACK DRAIN	1	2140mm HIGH FRAMELESS		DUINGED	FNCV		HIDING		) MALIK I	NEIVED			
LH DRAIN POSITI	ION	NAME	SIZE	표	표	ВАС		<b>12</b> D	OOR I	D HINGED HR-B/C		OOR;	SLDING SL		PANE	N FIXED L <b>FX 1</b>			
w						BASE PACK	AGE						REENS P.	ACKAGE					
			WIDTH DEPTH			CODE			ODE		CC				CODE				
->		IVERPOOL	1200 x 800			LQ-LIV			HR B		LIV	-SL		Ll'	V-FX1				
	4	DUBLIN	900 x 900			LQ-DUB		DUB-											
RH DRAIN POSITI	ION	BOSTON	1000 x 900			LQ-BOS		BOS-											
W		RIO	1100 x 900			LQ-RIO		RIO-			RIC				O-FX1				
		MILAN	1200 x 900					MIL-			MII				IL-FX1				
^		GENEVA	1300 x 900			LQ-GEN		GEN-			GEN				N-FX1				
		PARIS	1400 x 900			LQ-PAR		PAR-			PAF			PA	R-FX1				
LH BACK DRAI	N	SOFIA	1500 x 900			LQ-SOF		SOF-H			SOI								
w	_	KANSAS	1600 x 900			LQ-KAN		KAN-I			KAN								
	_	TOLEDO	1800 x 900			LQ-TOL		TOL-ŀ			TOI	-SL							
<b>A</b>	o	MIAMI	1000 x 1000			LQ-MIA		MIA-											
		HANGHAI	1200 x 1000			LQ-SHA		SHA-			SHA				A-FX1				
DU D 4 GV D D 4 1	_	NCOUVER	1400 x 1000			LQ-VAN		VAN-			VAN			IAV	N-FX1				
RH BACK DRAI		TAIPEI	1500 x 1000			LQ-TAI		TAI-l				I-SL							
	С	LEVELAND	1600 x 1000			LQ-CLE		CLE-H			CLE								
	R	ICHMOND	1800 x 1000			LQ-RIC		RIC-l	HR C		RIC	-SL							
ANGLE FRONT SHO W LH DRAIN POSIT W	TION	NAME SIZE (mm)	HTH DEWAIN TO THE DEWAIN THE DEWAIN TO THE D		BASE COD LQ-ATI		HRAMELESS	ANGLED DOCC BASE AND SCREE CODE ATH-HA	R <b>HA</b> ENS PA					ENTRY OF	RY		STEP ENTF 88 FOR INFO	RY	
	7				r∞-∨II	. ⊔		АП-ПА											



## Linea Quattro $^{\text{\tiny TM}}$ order form

Date:	Order #:	
Merchant:	Contact:	

EXTRA DEEP SHOWER	900MM DEEP 1000MM DEEP 1200MM DEEP					AMELESS		
w O	NAME	SIZE (mm)	BACK DRAIN		1	2140mm HIGH FRAMELESS	ENCLOSED DOOF	
l '				BASE PACI	KAGE	ВА	SE AND SCREENS	PACKAGE
		WIDTH DEPTH		CODE			CODE	
	AUSTIN	900 x 1200		LQ-AUS			AUS-HR	
$\overline{}$	LIMA	900 x 1400		LQ-LIM			LIM-HR	
BACK DRAIN POSITION	TUSCANY	900 x 1600		LQ-TUS			TUS-HR	
	MEMPHIS	900 x 1800		LQ-MEM			MEM-HR	
Jtilise a toilet room space		All 3-wall door	rs ca	n be hinged or fi	ixed fron	n left or right w	vall. [L] [R]	

#### FOUNDRY SERIES HARDWARE UPGRADE



POLISHED BRASS	UPGRADE-PB	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	
		-

<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.

Architectural Finishes	Linea Quattro™	
	Architectural Finishes	

г				
	ENTRY OPTIO	NS:		
	LEVEL ENTRY		STEP ENTRY	
	RE	FER TO PG.	88 FOR INFO	

# Optional

**OPTIONAL EXTRAS** 

(additional charge applies)	
Ellure Tile Look Wall  - complete Ellure order form	
Essential Connections for tiled walls	

# Optional

(additional charg			
Suitable for Tiled \	Valls		
EN1500		EN1200	
EN900		EN750	
EN600		EN500	
EN450		EN350	
EN300		EN200	
EN140F		EN400EX12-W	
Suitable for Acryli	c Walls or Ell	ure Tile Look Walls	
EN400RF-W		EN400RF-B	
EN140-RF-W		EN140-RF-B	

Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz

## Ebony & Ivory<sup>™</sup> two wall shower system order form



Date:									Orc	ler#:						
Merchan	ıt:								Coi	ntact:						
											I					
CONFIRM	/I BASE	COLOUR:	BLA	ACK	Sho	wer I	Base			or		WHITE	Shower Bas	se		
NAME	SIZE (mm)		BASE COLOUR	LH DRAIN	RH DRAIN	BACK DRAIN	2140MM HIGH FRAMELESS	HINGEL	D DOO	OR OR	HINGED D HR-T	OOR	SLIDING DO	DOR	FIXED SCR FX	REEN
												ID SCREE	NS PACKAGE			
	WIDTH	DEPTH						COD	E		CODE		CODE		CODE	
HALO	90	00 x 900	WHITE BASE BLACK BASE					HAL-HI	R [							
MELODY	100	00 x 1000	WHITE BASE BLACK BASE					MEL-HI	R [							
LYRIC	120	00 x 900	WHITE BASE BLACK BASE					LYR-HI	R [		LYR-HRT		LYR-SL		LYR-FX	
TAMBORA	120	00 x 1000	WHITE BASE BLACK BASE					TAM-HI	R [	]	TAM-HRT		TAM-SL		TAM-FX	
RHYTHM	140	00 x 1000	WHITE BASE BLACK BASE	_	_			RHY-HI	R [	]			RHY-SL		RHY-FX	
Please ch	eck stoc	ck availability	prior to orde	er.												
CHOOSE	BASE	DRAIN POS	ITION (NOTE	: SON	ΛE D	RAIN	POSIT	IONS NO	VA TC	'AILABLE	IN EVERY E	BASE COL	OUR. SEE AB	OVE FOR N	ORE INFO	)
2-WALLED I	RH BASE	_								2-WAL	ED LH BASE	:				
BACK DRAI	BACK DRAIN POSITION  RH DRAIN POSITION  BACK DRAIN POSITION  LH DRAIN POSITION															

- Fully frameless screens
- Low profile non-tiled shower base
- Optional Ellure Tile Look Wall or Acrylic Wall Liner

# Optional

OPTIONAL EXTRAS (additional charge applies)		
	CODE	
Ellure Tile Look Wall – complete Ellure order form		
ESSENTIAL CONNECTIONS	CODE	
Ebony & Ivory	EC-EI	

# Optional

Suitable for Tiled	Walls		
EN1500		EN1200	
EN900		EN750	
EN600		EN500	
EN450		EN350	
EN300		EN200	
EN140F		EN400EX12-W	
Suitable for Acry	ic Walls or Ell	ure Tile Look Walls	
EN400RF-W		EN400RF-B	
EN140-RF-W		EN140-RF-B	

FOUNDRY SERIES HARDWARE UPGRADE - SEE PG. 100



## Ebony & Ivory<sup>™</sup> three wall shower system order form

Date:							Order #:					
Merchant:						Contact:						
	ı								ı			
CONFIRM BAS	E COLOUR:	BLACK Show	wer l	Base			0	r	WHITE Sh	nower Base		
NAME	SIZE (mm)	BASE COLOUR	LH DRAIN	RH DRAIN	BACK DRAIN	2140MM HIGH FRAMELESS	HINGED DOO	] R	SLIDING DOOF	₹ F	IXED SCREEN	
Z	S	Δ.	_	22	Ω	2	HR	В	SL ASE AND SCREENS	PACKAGE	FX	
	WIDTH DEPTH						CODE		CODE		CODE	
TREBLE	900 x 900	WHITE BASE BLACK BASE					TRE-HR					
SOPRANO	1000 x 1000	WHITE BASE BLACK BASE					SOP-HR					
MANILOW	1200 x 900	WHITE BASE BLACK BASE					MAN-HR		MAN-SL		MAN-FX	
HYMN	1200 x 1000	WHITE BASE BLACK BASE					HYM-HR		HYM-SL		HYM-FX	
RUMBA	1400 x 1000	WHITE BASE BLACK BASE					RUM-HR		RUM-SL		RUM-FX	
	ck availability prior to											
CHOOSE BASE	/ DRAIN POSITION (	NOTE: SOME DI	RAIN	POSI	TION	IS N	OT AVAILABL	E IN EV	/ERY BASE COLOI	JR. SEE ABOV	'E FOR MO	RE INFO)
3-WALLED (ALCOVE	E) BASE											
RH DRAIN POSITI		LH DRAIN POSIT	TION				BACK	PAIN P	POSITION			

Optional		
OPTIONAL EXTRAS (additional charge applies)		
	CODE	
Ellure Tile Look Wall – complete Ellure order form		
ESSENTIAL CONNECTIONS	CODE	
Ebony & Ivory	EC-EI	

Obuc	) ICI		
OPTIONAL ACCE			
Suitable for Tiled	Walls		
EN1500		EN1200	
EN900		EN750	
EN600		EN500	
EN450		EN350	
EN300		EN200	
EN140F		EN400EX12-W	
Suitable for Acry	lic Walls or Ell	ure Tile Look Walls	
EN400RF-W		EN400RF-B	
EN140-RF-W		EN140-RF-B	

#### FOUNDRY SERIES HARDWARE UPGRADE



POLISHED BRASS	UPGRADE-PB	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	
	AGED BRASS BRUSHED GOLD BRUSHED NICKEL GUNMETAL	POLISHED BRASS UPGRADE-PB AGED BRASS UPGRADE-AB BRUSHED GOLD UPGRADE-BG BRUSHED NICKEL UPGRADE-BN GUNMETAL UPGRADE-GM MATTE BLACK UPGRADE-MB

100

<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.

## EasyTile<sup>™</sup> order form



Date:			Order #:			•	1960mm ft	ılly frameless scre	ens
Merchant:			Contact:			•	Low profile	one piece tileabl	e shower
				Į.		•	,	te & easy clean w	aste fitting
								ssential waterprod	_
2-WALLED SHOV	WERS						connection		711115
W					_				
D		Ê "	LH RECTANGLE RH RECTANGLE CENTRAL DRAIN		FRAMELESS SCREEN B				
	NAME	SIZE (mm)	H REC		SCREEN B		ptional		
LH BASE		0,		BASE PACKAGE	BASE AND SCREENS PAC	CKAGE	puor		
W		WIDTH DEPTH		CODE	CODE		IAL EXTRAS (additional	charge applies)	
	BOUTIQUE	900 x 900		ET-BOU	BOU-ET-B		le Look Wall		
	D HARMONY	1000 x 1000		ET-HAR	HAR-ET-B		olete Ellure order form		
	SPLASH (LH)	1200 x 900		ET-SPL	SPL-ET-B	Essentio	al Connections for tiled	I walls EC-ET	
	ENCAPSULATOR (RH)	1200 x 900		ET-ENC	ENC-ET-B				
RH BASE	FABULOUS (LH)	1400 x 1000		ET-FAB	FAB-ET-B		01		
	TRANQUILITY (RH)	1400 x 1000		ET-TRA	TRA-ET-B		ptional		
3-WALLED SHO\	WEDS.						IAL ACCESSORIES onal charge applies)		
W	TERO		,	<b>I</b>	+	Suitable	e for Tiled Walls		
	7	SIZE (mm) SIZE (mm) CENTRAL DRAIN		1960mm HIGH FRAMELESS	ı	EN1500		EN1200	
		mu ALD		ELES!		EN900		EN750	
	N N N N N N N N N N N N N N N N N N N	SIZE (mm)		860n	EEN F	EN600		EN500	
		ι σ ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο	BASE PACKAGE	BASE AND SCRE		EN450		EN350	
		WIDTH DEPTH	CODE	CODE					
	COMMANDER	900 x 900	ET-COM	COM-ET-F		EN300		EN200	•
	AQUARIUS	1000 x 1000	ET-AQU 🔲	AQU-ET-F		EN140F		EN400EX12-W	
	SYMPHONY	1200 x 900	ET-SYM	SYM-ET-F		Suitable	e for Acrylic Walls or Ell	ure Tile Look Walls	
	IMMERSION	1400 x 1000	ET-IMM	IMM-ET-F		EN400R	F-W	EN400RF-B	
						EN140-f	RF-W	EN 140-RF-B	
ANGLE FROM	NT								
W						FOUN	DRY SERIES HARD	WARE UPGRADE	
			N N		表				
		ê	CENTRAL DRAIN	- /	ESS			POLISHED BRASS U	PGRADE-PB
		SIZE (mm)	JIRA		MEL		- 100	AGED BRASS U	
		SIZE	9	~	PRAMELESS ACKEEN HOTH CRAMELESS ACKEEN HOTH CRAMELESS			BRUSHED GOLD UI	
			BASE F	PACKAGE	BASE AND SCREENS	PACKAGE			GRADE-BN GRADE-GM GRADE-GM
		WIDTH DEPTH		CODE	CODE			MATTE BLACK UP	
	AMBIENCE	900 x 900		ET-AMB	AMB-ET-HA				
	VIVIDO	1000 x 1000		ET-VIV	VIV-ET-HA	□ * Places	see De 61 for all Ea	under Carias inform	ation

Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz



## Black Pearl<sup>™</sup> order form

Date:				0	rder #	ŧ						
Merchant:				С	ontac	et:						
2-WALLED SHOWER	es .				N				<u></u>			1
W		(mr	REAR DRAIN	CENTRE DRAIN	CENTRE-REAR DRAIN	2060mm HIGH FRAMELESS SCREEN		0	,			
D ⊕	i.	SIZE (mm)	AR	ENTR	ENTR	AME SAME		2005511	-	OODEEN O	CORESNA	
		Z   15	- 2	O	O	SCREEN	D	SCREEN T		SCREEN C EENS PACKAGE	SCREEN M	<i>-</i>
LH BASE		WIDTH DEPTH				CODE		CODE	AIND OCKI	CODE	CODE	
	PITCAIRN					PIT-RO-B					PIT-RO-MG	
	MONACO					MON-RO/CO-B					MON-RO/CO-MG	
	TAHITIAN	1000 x 900				TAH-RO-B		TAH-RO-T			TAH-RO-MG	
	MALIBU	1000 x 1000				MAL-RO/CO-B					MAL-RO/CO-MG	
	GRENADA	1200 x 750				GRE-RO/CR-B					GRE-RO/CR-MG	
	BAHAMAS	1200 x 900				BAH-RO/CO/CR-B		BAH-RO/CO/CR-T			BAH-RO/CO/CR-MG	
	FLORIDA	1500 x 1000								FLO-CR-C	FLO-CR-MG	
											* Soft-Close not av	vailable
2-WALLED SHOWER  W  0	D	NAME SIZE (mm)	REAR DRAIN	CENTRE DRAIN	CENTRE-REAR DRAIN	2060mm HIGH FRAMELESS	I B	SCREEN T		SCREEN C	SCREEN MG	
RH BASE								BASE /	AND SCR	PEENS PACKAGE		
		WIDTH DEPTH				CODE		CODE		CODE	CODE	
	TROPICANA					TRO-RO-B					TRO-RO-MG	*
	MONACO					MON-RO/CO-B					MON-RO/CO-MG	*
	ZANZIBAR					ZAN-RO-B		ZAN-RO-T			ZAN-RO-MG	
	MALIBU					MAL-RO/CO-B					MAL-RO/CO-MG	
	ACAPULCO					ACA-RO/CR-B					ACA-RO/CR-MG	(
	MAURITIUS					MAU-RO/CO/CR-B		MAU-RO/CO/CR-T			MAU-RO/CO/CR-MG	
	NAUTILUS	1500 x 1000								NAU-CR-C	NAU-CR-MG	

\* Soft-Close not available

Note: This shower includes a Gloss White Shower Tray.

Black Pearl systems are only available as a full package. Base Packages are not available. Screen diagrams are indicative only. For exact panel size visit **www.atlantis.co.nz** 

102

## Black Pearl<sup>™</sup> order form



Date:	Order #:	
Merchant:	Contact:	

3-WALLED SHOWERS  W  ©  ©	NAME	SiZE (mm)	CENTRE DRAIN	CENTRE-REAR DRAIN	2060mm HIGH FRAMELESS	EN F	SCREEN MO	
					BASE	AND SC	CREENS PACKAGE	
		WIDTH DEPTH			CODE		CODE	
	MANIHIKI	900 x 750			MAN-RO-F		MAN-RO-MG	*
	ARUBA	1200 x 750			ARU-RO-F		ARU-RO-MG	
	DELSOL	1500 x 750			DEL-RO-F		DEL-RO-MG	
	TRISTAN	900 x 900			TRI-CO/RO-F		TRI-CO/RO-MG	**
	SEYCHELLES	1000 x 1000			SEY-CO/RO-F		SEY-CO/RO-MG	
	CAYMAN	1200 x 900			CAY-CO/RO-F		CAY-CO/-RO-MG	
	PENRHYN	1500 x 900			PEN-RO-F		PEN-RO-MG	
	BERMUDA	1500 x 1000			BER-RO-F		BER-RO-MG	
	CALYPSO	1800 x 1000			CAL-CO-F		CAL-CO-MG	

\* Soft-Close not available

ANGLE FRONT SHOWERS  W	NAME	Size (mm)	REAR DRAIN	2060mm HIGH FRAMELESS	SCREEN HA
					BASE AND SCREENS PACKAGE
		WIDTH DEPTH	l		CODE
	кокомо	900 x 900			KOK-RO-HA
	LAGUNA	1000 x 1000			LAG-RO-HA

Note: This shower includes a Gloss White Shower Tray.

Black Pearl systems are only available as a full package. Base Packages are not available. Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz

- 2060mm fully frameless screens
- White non-tiled shower tray
- Optional Ellure Tile Look or Acrylic Wall Liner

Option	nal		
OPTIONAL EXTRA  Ellure Tile Look W - complete Ellur	/all	I charge applies)	
Acrylic Wall Line	r	Remember to order an <b>Actylic Lines</b> if required	
Optional acce			
(additional charges) Suitable for Tiled			
EN1500		EN1200	
EN900		EN750	
EN600		EN500	
EN450		EN350	
EN300		EN200	
EN140F		EN400EX12-W	
Suitable for Acryl	ic Walls or Ell	ure Tile Look Walls	
EN400RF-W		EN400RF-B	
EN140-RF-W		EN140-RF-B	

#### FOUNDRY SERIES HARDWARE UPGRADE



POLISHED BRASS	UPGRADE-PB	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	


<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.



## Quub<sup>™</sup> order form

Date:	Order #:	
Merchant:	Contact:	

- 1960mm fully frameless screens
- Low profile one piece prefinished shower tray
- Centre drain and Easy clean waste




Optional
<b>OPTIONAL EXTRAS</b> (additional charge applies)
Ellure Tile Look Wall  - complete Ellure order form
Acrylic Wall Liner
Remember to order an Acrylic Lines if required



. • =	01 010 102 1 0	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	

<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.




Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz

Quub™ Graphite is supplied with Matte Black Hardware

www.atlantis.co.nz

### Accessible Showers order form





Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz

MATTE BLACK UPGRADE-MB

<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.



## Frameless Screens order form

Date:	Order #:	
Merchant:	Contact:	

2-WALLED SHOWERS					
(mu		2120mm HIGH FRAMELESS			
SIZE (mm)		2120n FRAM	ENCLOSED H	ENCLOSED SLIDII DOOR <b>SL</b>	NG
WIDTH	DEPTH		CODE	CODE	
900 x	900		AFS-2W-9X9		
1000 x	900		AFS-2W-10X9		
1100 x	900		AFS-2W-11X9	AFS-2W-SL-11X9	
1200 x	900		AFS-2W-12X9	AFS-2W-SL-12X9	
1300 x	900		AFS-2W-13X9	AFS-2W-SL-13X9	
1400 x	900		AFS-2W-14X9	AFS-2W-SL-14X9	
1500 x	900			AFS-2W-SL-15X9	
1600 x	900			AFS-2W-SL-16X9	
1700 x	900			AFS-2W-SL-17X9	
1800 x	900			AFS-2W-SL-18X9	
1900 x	900			AFS-2W-SL-19X9	
2000 x	900			AFS-2W-SL-20X9	
900 x	1000		AFS-2W-9X1		
1000 x	1000		AFS-2W-10X1		
1100 x	1000		AFS-2W-11X1	AFS-2W-SL-11X1	
1200 x	1000		AFS-2W-12X1	AFS-2W-SL-12X1	
1300 x	1000		AFS-2W-13X1	AFS-2W-SL-13X1	
1400 x	1000		AFS-2W-14X1	AFS-2W-SL-14X1	
1500 x	1000			AFS-2W-SL-5X1	
1600 x	1000			AFS-2W-SL-16X1	
1700 x	1000			AFS-2W-SL-17X1	
1800 x	1000			AFS-2W-SL-18X1	
1900 x	1000			AFS-2W-SL-19X1	
2000 x	1000			AFS-2W-SL-20X1	

EQUILIBRAY	AFRIER	II A D D MALA	DE 11000 A DE
FOUNDRY	SERIES	HARDWA	RE UPGRADE



POLISHED BRASS	UPGRADE-PB	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	

3-WALLED SHOWERS	PRAMELESS AND STANDARD HIGH RAMELESS AND STANDARD STANDAR	ENCLOSED SLIDING DOOR SL	
WIDTH	CODE	CODE	
900	AFS-3W-9		
1000	AFS-3W-10		
1100	AFS-3W-11	AFS-3W-SL-11	
1200	AFS-3W-12	AFS-3W-SL-12	
1300	AFS-3W-13	AFS-3W-SL-13	
1400	AFS-3W-14	AFS-3W-SL-14	
1500	AFS-3W-15	AFS-3W-SL-15	
1600	AFS-3W-16	AFS-3W-SL-16	
1700	AFS-3W-17	AFS-3W-SL-17	
1800	AFS-3W-18	AFS-3W-SL-18	
1900	AFS-3W-19	AFS-3W-SL-19	
2000	AFS-3W-20	AFS-3W-SL-20	

3-WALLED AND 2-WALLED FIXED PANEL		
SIZE (mm)	2120mm HIGH FRAMELESS	WALK-IN FIXED PANEL FX1
WIDTH		CODE
570		AFS-FX-570
670		AFS-FX-670
870		AFS-FX-870
970		AFS-FX-970
1070		AFS-FX-1070 □
1170		AFS-FX-1170 □
1270		AFS-FX-1270
1370		AFS-FX-1370 □

<sup>\*</sup> Nominal measurements only.

Refer to website for actual measurement sizes and specs.

<sup>\*</sup> Please see Pg. 61 for all Foundry Series information, including T&Cs.

### Ellure<sup>™</sup> Tile Look Walls order form



Date:	Order #:	
Merchant:	Contact:	

#### TWO WALL OPTIONS

UP TO 1200MM WIDE




UP TO 1200mm WIDE						
	WIDTH	CODE				
SIMPLY WHITE	Up to 1200	ELL-WPP-2				
SUBWAY	Up to 1200	ELL-WPP-14				
HEX	Up to 1200	ELL-WPP-15				

1201MM TO 1500MM WIDE



1201mm TO 1500mm WIDE						
	WIDTH	CODE				
SIMPLY WHITE	1201 - 1500	ELL-WPP-4				
SUBWAY	1201 - 1500	ELL-WPP-16				
HEX	1201 - 1500	ELL-WPP-17				

OVER 1501MM WIDE




Discreet jointer required on long side.

OVER 1501mm W	IDE		
	WIDTH	CODE	
SIMPLY WHITE	Over 1501	ELL-WPP-28	
SUBWAY	Over 1501	ELL-WPP-18	
HEX	Over 1501	ELL-WPP-19	


#### THREE WALL OPTIONS

UP TO 1200MM WIDE




UP TO 1200mm WIDE			
	WIDTH	CODE	
SIMPLY WHITE	Up to 1200	ELL-WPP-7	
SUBWAY	Up to 1200	ELL-WPP-20	
HEX	Up to 1200	ELL-WPP-21	

1201MM TO 1500MM WIDE



1201mm TO 1500mm WIDE			
	WIDTH	CODE	
SIMPLY WHITE	1201 - 1500	ELL-WPP-10	
SUBWAY	1201 - 1500	ELL-WPP-22	
HEX	1201 - 1500	ELL-WPP-23	

OVER 1501MM WIDE



Discreet jointer required on long side.

OVER 1501mm W	IDE		
	WIDTH	CODE	
SIMPLY WHITE	Over 1501	ELL-WPP-12	
SUBWAY	Over 1501	ELL-WPP-24	
HEX	Over 1501	ELL-WPP-25	

STANDARD ELLURE SHEETS SIMPLY WHITE 1200 wide ELL-WPP-13 SUBWAY 1200 wide ELL-WPP-26 HEX 1200 wide ELL-WPP-27



## Linea Quattro™ Architectural Finishes order form

Date:	Order #:	
Merchant:	Contact:	

#### LINEA QUATTRO™ ARCHITECTURAL FINISHES



### White Liberettostone™

Solid LiberettoStone<sup>™</sup> in beautiful white. Simply stunning.

PRODUCT (mm)	WHITE	
	CODE	
Up to 1200	AF-MW-SMALL	
Over 1201	AF-MW-LARGE	



### Terra Liberettostone™

Add a natural earthy feel to your bathroom with the Terra architectural finish.

PRODUCT (mm)	TERRA	
	CODE	
Up to 1200	AF-TER-SMALL	
Over 1201	AF-TER-LARGE	



### Black Liberettostone™

Achieve a slot drain effect with minimalist, moody and striking jet black.

PRODUCT (mm)	BLACK	
	CODE	
Up to 1200	AF-MB-SMALL	
Over 1201	AF-MB-LARGE	



### Nero Liberettostone™

As intriguing as the night sky. Combines dark greys and browns with hints of white throughout.

PRODUCT (mm)	NERO	
	CODE	
Up to 1200	AF-NER-SMALL	
Over 1201	AF-NER-LARGE	



### Alabaster Porcelain Tile

Alabaster adds a chic and contemporary touch to any shower.

PRODUCT (mm)	ALABASTER
	CODE
Up to 1200	AF-ALA-SMALL
Over 1201	AF-ALA-LARGE

Please note: architectural finishes shower bases are non-returnable.

### Icona™ Heated Towel Rail order form

ICO-ARO-800-MB

☐ ICO-ARO-1000-MB ☐

MATTE BLACK

ICO-ARO-600-MB




					Order #:		
rchant:					Contact:		
ONA							
CHATEAU RAIL	s S					J	
	450		600		800	ACCESSORY PACK	
AGED BRASS	ICO-CHA-450-AB	☐ ICO-CH	-IA-600-AB		CO-CHA-800-AB [	] ICO-CHA-HK-AB	_
POLISHED BRASS	ICO-CHA-450-PB	☐ ICO-CI	HA-600-PB		ICO-CHA-800-PB	] ICO-CHA-HK-PB	_
BRUSHED GOLD	ICO-CHA-450-BG	☐ ICO-CH	HA-600-BG		CO-CHA-800-BG [	] ICO-CHA-HK-BG	_
BRUSHED NICKEL	ICO-CHA-450-BN	☐ ICO-CH	HA-600-BN		CO-CHA-800-BN	] ICO-CHA-HK-BN	
GUNMETAL	ICO-CHA-450-GM	☐ ICO-CH	A-600-GM		CO-CHA-800-GM [	ICO-CHA-HK-GM	
MATTE BLACK	ICO-CHA-450-MB	☐ ICO-CH	A-600-MB		CO-CHA-800-MB [	ICO-CHA-HK-MB	
MONT RAILS						_	
	450		600		800	ACCESSORY PACK	
MATTE WHITE	ICO-MON-450-MW	ICO-MC	ON-600-MW	☐ IC	O-MON-800-MW [	] ICO-MON-HK-MW	
BRUSHED NICKEL	ICO-MON-450-BN	I 🔲 ICO-M	10N-600-BN		CO-MON-800-BN	] ICO-MON-HK-BN	
OLISHED STAINLESS	ICO-MON-450-SS	G   ICO-N	MON-600-SS		CO-MON-800-SS	] ICO-MON-HK-SS	
GUNMETAL	ICO-MON-450-GIV	I 🔲 ICO-MO	ON-600-GM	☐ IC	:O-MON-800-GM [	] ICO-MON-HK-GM	
MATTE BLACK	ICO-MON-450-ME	B   ICO-M	ON-600-MB		CO-MON-800-MB [	] ICO-MON-HK-MB	
AROSA RAILS	<u>~</u>						
AROJA RAILS							
	600		800		1000		
MATTE WHITE	ICO-ARO-600-MW	☐ ICO-AR	0-800-MW	☐ IC	O-ARO-1000-MW	<u> </u>	
BRUSHED NICKEL	ICO-ARO-600-BN	☐ ICO-A	RO-800-BN		CO-ARO-1000-BN	<u> </u>	
POLISHED STAINLESS	ICO-ARO-600-SS	П 100-А	ARO-800-SS	П	ICO-ARO-1000-SS		

Powers up to
five Icona Rails
or Poles

PACK

12V TRANSFORMER ICO-105W







# About Atlantis

An evolution in bathroom style and functionality.

Atlantis invented the EasyTile<sup>™</sup> shower system in 1996, and have continued to develop innovative bathroom solutions since. Atlantis has secured a position as New Zealand's most premier bathroom system manufacturer. This is reflected in the high level of design and craftsmanship in every Atlantis product.

'Beautiful to look at. Fabulous to live with. Astonishingly easy to install. Leak-free for life.'

To visit an Atlantis Design Centre, see back cover for details.

For more information on all of our products and product ranges, visit our website, www.atlantis.co.nz or call us on 0800 428 526.






# In the area? Find inspiration at one of our Design Centres.

### Auckland

46B Stanley St, Parnell


Book your appointment today. Visit <u>atlantis.co.nz/showroom</u> to book.



### Tauranga

26 Porutu Pl, Tauriko Business Estate

Book your appointment today. Visit <u>atlantis.co.nz/showroom</u> to book.



### Christchurch

38b Brisbane St, Sydenham

Book your appointment today. Visit <u>atlantis.co.nz/showroom</u> to book.

