

Class 1

Brenner Shower System

Product Disclosure Information Self-Assessment

Version: v01

Product name	Brenner Shower System
Product line	
Product identifier	Atlantis-Brenner

Product description

The Brenner™ Shower is a one-piece shower base and screens system. Suitable for domestic and commercial use, the Brenner System includes a low profile fibreglass reinforced acrylic tray with 100mm tall wall upstands, factory-fitted glazing channels, EasyClean waste, Stainless Steel drain cover, and selected screens and hardware. Flow Rate: 50L/min min.

Manufactured by Atlantis – New Zealand's leading shower manufacturer.

Exceeds NZ Building Code (AS/NZS2208-96)

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

Contributions to compliance

B2.3.1: The Acura Shower Tray is warranted for 15 years when installed as per the installation instructions.

F2.3.1: All glass supplied is toughened safety glass. The product is safe to handle.

G1.3.2: Easy-to-clean and does not harbour germs.

Scope of use

Brenner Showers are suitable for use in domestic and commercial bathroom. Designed for tiling or leaving

prefinished (gloss white).

Conditions of use

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied. Must be installed in accordance with installation instructions supplied.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Brenner Tray Installation Instructions (Installation)		https://www.brenner.co.nz/s/BFK-BR.pdf
Brenner 2 Wall Hinged Technical Specifications (Design)		https://www.brenner.co.nz/s/Brenner-Specs-2-Wall-Hinged.pdf
Brenner 3 Wall Hinged Technical Specifications (Design)		https://www.brenner.co.nz/s/Brenner-Specs-3-Wall-Hinged.pdf
Brenner 2 Wall Sliding Technical Specifications (Design)		https://www.brenner.co.nz/s/Brenner-Specs-2-Wall-Sliding.pdf
Brenner 3 Wall Sliding Technical Specifications (Design)		https://www.brenner.co.nz/s/Brenner-Specs-3-Wall-Sliding.pdf
Brenner Hinged Screen Fitting Instructions (Installation)		https://www.brenner.co.nz/s/SFK-HR.pdf
Brenner Sliding Screen Fitting Instructions (Installation)		https://www.brenner.co.nz/s/SFK-MG2-MED.pdf

Contact details

Manufacture location	New Zealand
Legal and trading name of manufacturer	Atlantis Bathroom Style
Manufacturer address for service	26 Porutu Place Tauranga 3110
Manufacturer website	atlantis.co.nz
Manufacturer email	support@atlantis.co.nz
Manufacturer phone number	0800428526
Manufacturer NZBN	9429037342050

First party self-assessment generated Aug 25, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=067c2f24c88edfb19726a114b81e9498af76692f>

Get BPIR Ready | bpir.nz

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Sanitary fixtures and appliances

	Yes	No
Suitable for Accessible facilities		x
Provision of hot water		x

Building code performance clauses

All relevant building code performance clauses listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,

- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.