

# Class 1 EasyTile Shower System

Product Disclosure Information Self-Assessment

Version: v01

| Product name       | EasyTile Shower System |
|--------------------|------------------------|
| Product line       |                        |
| Product identifier | Atlantis ET            |

# **Product description**

The EasyTile<sup>™</sup> Shower is a one-piece ready-to-tile shower base and screens system. Suitable for domestic and commercial use, the EasyTile System includes a low profile fibreglass reinforced acrylic tray with 85mm tall wall upstand, factory-fitted glazing channels, EasyClean waste, Stainless Steel drain cover, selected screens and hardware. Standard hardware finish supplied is chrome, although available in a range of finishes.

# Relevant building code clauses

- B2 Durability B2.3.1 (c)
- F2 Hazardous building materials F2.3.1
- G1 Personal Hygiene G1.3.2
- G12 Water Supplies G12.3.5

# **Contributions to compliance**

B2.3.1: The EasyTile Shower Tray is warranted for 25 years when installed as per the installation instructions.

- F2.3.1: All glass supplied is toughened safety glass. The product is safe to handle.
- G1.3.2: Easy-to-clean and does not harbour germs.
- G12.3.5: Shower requires hot water for personal washing, showering, or bathing.

# Scope of use

EasyTile Showers are suitable for use in domestic and commercial bathroom. Step Entry installation only - on

top of existing flooring (Timber or Concrete).

# Conditions of use

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied. Must be installed in accordance with installation instructions supplied (<u>https://atlantis.co.nz/wp-</u> <u>content/uploads/BFK-ET.pdf</u>). Refer to Product Care webpage (<u>https://atlantis.co.nz/home-owners/product-</u> <u>care/</u>) for guidance on cleaning shower.

# Supporting documentation

The following additional documentation supports the above statements:

| Title (type)   | Version | URL  |
|--|---------|--|
| EasyTile Shower Tray Installation<br>Instructions (Installation) | 202001  | https://atlantis.co.nz/wp-content/uploads/BFK-ET.pdf                                       |
| EasyTile Warranty (Warranty)                                     |         | https://atlantis.co.nz/warranty/   |
| Atlantis Shower Product Care (Maintenance)                       |         | https://atlantis.co.nz/home-owners/product-care/   |
| EasyTile TANZ Appraisal (Test results)                           | 12125   | https://atlantis.co.nz/wp-content/uploads/TANZ-Product-<br>Appraisal-Atlantis-EasyTile.pdf |

# **Contact details**

| Manufacture location                   | New Zealand                      |
|--|----------------------------------|
| Legal and trading name of manufacturer | Atlantis Bathroom Style          |
| Manufacturer address for service       | 26 Porutu Place<br>Tauranga 3110 |
| Manufacturer website                   | atlantis.co.nz                   |
| Manufacturer email                     | support@atlantis.co.nz           |
| Manufacturer phone number              | 0800428526                       |
| Manufacturer NZBN                      | 9429037342050                    |

# Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

First party self-assessment generated Aug 22, 2023 with BPIR Ready. Source: https://bpir.nz/form/view?wz=d08499d71fa4dd80782e54c6ca504633a049b6c7 Get BPIR Ready | bpir.nz

# Appendix

### **BPIR Ready selections**

Category: Sanitary fixtures and appliances

|                                    | Yes | No |
|------------------------------------|-----|----|
| Suitable for Accessible facilities |     | ×  |
| Provision of hot water             | ×   |    |

### Building code performance clauses

All relevant building code performance clauses listed in this document:

### B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

#### (c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

### F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate sanitation,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: https://bpir.nz/form/view?wz=d08499d71fa4dd80782e54c6ca504633a049b6c7

Get BPIR Ready | bpir.nz

# G12 Water Supplies

G12.3.5

Sanitary fixtures and sanitary appliances must be provided with hot water when intended to be used for

- a. utensil washing; and
- b. personal washing, showering, or bathing.