

Class 1

Linea Quattro Shower System

Product Disclosure Information Self-Assessment

Version: v01

Product name	Linea Quattro Shower System
Product line	
Product identifier	Atlantis LQ

Product description

The Linea Quattro™ Shower is a premium, one-piece ready-to-tile shower base and screens system. Suitable for domestic and commercial use, the Linea Quattro includes a low profile fibreglass reinforced acrylic tray with 100mm tall wall upstand, factory-fitted glazing channels, EasyClean waste, Stainless Steel drain cover, selected screens and hardware. Standard hardware finish supplied is chrome, although available in a range of finishes. Flow Rate: 50L/min min.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.5

Contributions to compliance

B2.3.1: The Linea Quattro Shower Tray is warranted for 25 years when installed as per the installation instructions.

F2.3.1: All glass supplied is toughened safety glass. The product is safe to handle.

G1.3.2: Easy-to-clean and does not harbour germs.

G12.3.5: Shower requires hot water for personal washing, showering, or bathing.

Scope of use

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=5e6ef94606094c4b5e1450c6ebe3b1f864b06feb>

Get BPIR Ready | bpir.nz

Linea Quattro Showers are suitable for use in domestic and commercial bathroom. Can be installed Step Entry or Level Entry (depending on scenario)

Conditions of use

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied. Must be installed in accordance with installation instructions supplied (<https://atlantis.co.nz/wp-content/uploads/BFK-LQ.pdf>). Refer to Product Care webpage (<https://atlantis.co.nz/home-owners/product-care/>) for guidance on cleaning shower.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Linea Quattro Shower Tray Installation Instructions (Installation)	202003	https://atlantis.co.nz/wp-content/uploads/BFK-LQ.pdf
Linea Quattro Warranty (Warranty)		https://atlantis.co.nz/warranty/
Atlantis Shower Product Care (Maintenance)		https://atlantis.co.nz/home-owners/product-care/
Linea Quattro TANZ Appraisal (Test results)	12124	https://atlantis.co.nz/wp-content/uploads/TANZ-Product-Appraisal-Atlantis-linea-Quattro.pdf

Contact details

Manufacture location	New Zealand
Legal and trading name of manufacturer	Atlantis Bathroom Style LTD
Manufacturer address for service	26 Porutu Place Tauranga 3110
Manufacturer website	atlantis.co.nz
Manufacturer email	support@atlantis.co.nz
Manufacturer phone number	0800428526
Manufacturer NZBN	9429037342050

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=5e6ef94606094c4b5e1450c6ebe3b1f864b06feb>

Get BPIR Ready | bpir.nz

No

Appendix

BPIR Ready selections

Category: Sanitary fixtures and appliances

	Yes	No
Suitable for Accessible facilities		x
Provision of hot water	x	

Building code performance clauses

All relevant building code performance clauses listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if:
- the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
 - failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- facilitate *sanitation*,
- avoid risk of food contamination,
- avoid harbouring dirt or germs,
- provide appropriate privacy,
- avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- allow effective cleaning,
- discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- provide a healthy safe disposal system when non-water-borne disposal is used.

First party self-assessment generated Aug 22, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=5e6ef94606094c4b5e1450c6ebe3b1f864b06feb>

Get BPIR Ready | bpir.nz

G12 Water Supplies

G12.3.5

Sanitary fixtures and sanitary appliances must be provided with hot water when intended to be used for

- a. utensil washing; and
- b. personal washing, showering, or bathing.